

# **DIATOM CHECK-LIST FROM CATALONIAN COUNTRIES (EASTERN SPAIN)**

Jaume Cambra,\* Sergi Sabater \*\* Xavier Tomàs\*\*

Rebut: juny de 1988

## **SUMMARY**

This is the first comprehensive diatom check-list of the Catalonian Countries (Balearic islands and eastern Iberian peninsula) covering all the previous recorded taxa from epicontinental waters till 1990. It contains a complete list of species and lower taxa set out in alphabetical order within each genus. A total of 681 species, 196 varieties and 12 forms have been accounted for. The check-list also includes the synonyms formerly in common use and the bibliographic references for each currently reported taxon.

## **RESUM**

### **Catàleg de les diatomees dels Països Catalans**

Aquest catàleg inclou totes les citacions florístiques de les diatomees d'aigües epicontinentals dels Països Catalans registrades a la bibliografia preexistent fins a l'any 1990. En el recull que hem efectuat s'han registrat 704 espècies, 179 varietats i 12 formes. Per a cada tàxon, hom dóna totes les referències bibliogràfiques on ha estat citat, i també les seves sinonímies més rellevants.

KEY WORDS: Diatoms, E Iberian Peninsula, Balearic Islands.

MOTS CLAU: Diatomees, península Ibèrica E, illes Balears.

## **INTRODUCTION**

The area under study covers approximately 70,000 square km and includes the following regions: Andorra, Balearic islands, Catalonia and València. These regions are named the Catalonian Countries as a whole, and are located in the eastern part of the Iberian peninsula, between 1°15' long. west

4°20' long. east and 37°40' and 42°50' lat. north.

The heterogeneous geological substrate and the varying climatic conditions play an important role on these ecosystems. In this area, four different biogeographic sectors could be distinguished: alpine and subalpine mountains, continental plain, Mediterranean mountains and the coastal shore

\* Departament de Biologia Vegetal (Botànica). Facultat de Biologia. Universitat de Barcelona. Av. Diagonal 645. 08028 Barcelona. Spain.

\*\* Departament d'Ecologia. Facultat de Biologia. Universitat de Barcelona. Av. Diagonal, 645. 08028 Barcelona. Spain.

line. As a result of this varied environments, there is a wide range of epicontinental water ecosystems.

The stagnant waters are scarce, ranging from the oligotrophic alpine lakes and the karstic ones to marshy areas, saline lagoons and related brackish waters near to the Mediterranean sea. Temporary pools and swamps are abundant elsewhere, especially during the rainy periods (spring and autumn).

The running waters, as creeks, Mediterranean-regime streams and rivers are very widespread. Many of them have reservoirs, usually in the Pyrenees valleys. Their flow is irregular, increasing after rainy periods and becoming less important during summer. They run over basic or acid substrates, determining remarkable differences in water quality. In fact, this ranges from soft and hard-water to those eutrophic or saline. Moreover, many streams are polluted, mainly because of industrial and agricultural activities.

This check-list is the compilation of all previous diatom records published in the local literature. From an historic point of view, the diatom studies in the Catalonian Countries are scarce. The first important contribution to our diatom flora was performed by MARGALEF (1944-1980) who has contributed also to the limnological and oceanographical research in Spain. In recent years, many new diatom records have been reported from this area, as a consequence the number of taxa belonging to our flora has been increased, but until now there was no general check-list for this group. The need of an approach to the knowledge of our diatom flora, including bibliographic information available for general use, has stimulated this study.

In this check-list the genera and the species are alphabetically indexed. The synonyms are those which have been previously in common use; they are enclosed in brackets after each species name, adopted in accordance with the International Code of Botanical Nomenclature. Moreover, extensive references for each taxon are included; these are numbered as in the reference list at the end of the paper.

According to this check-list, 704 species, 179 varieties and 12 forms are up-dated to conform the first approach to the diatom flora of the Catalonian Countries.

## DIATOM CHECK-LIST

### **ACHNANTHES** Bory, 1822

**Achnanthes altaica** (Poretzky) Cleve-Euler  
64

**Achnanthes arenaria** Amossé  
68

**Achnanthes austriaca** Hustedt v. **helvetica**  
ca Hustedt  
(Syn.: *Achnanthes helvetica* (Kützing)  
Lange-Bertalot p.p.)  
10, 64

**Achnanthes biasolettiana** (Kützing) Grunow  
34, 64, 68

**Achnanthes bioretti** Germain  
64

**Achnanthes brevipes** Agardh  
27, 30, 31, 49, 68, 69

**Achnanthes brevipes** v. **intermedia**  
(Kützing) Cleve  
19, 20, 26, 27, 29, 34, 68, 69

**Achnanthes cassida** Carter  
(Syn.: *Achnanthes rossii* Hustedt)  
10

**Achnanthes clevei** Grunow in Cleve & Grunow, 1880  
57, 61, 68

**Achnanthes coarctata** (Brébisson) Grunow in Cleve & Grunow, 1880  
4, 27, 30, 62

**Achnanthes coarctata** v. **elliptica** Krasske  
in Hustedt, 1930  
68

**Achnanthes conspicua** A. Mayer  
57, 61

**Achnanthes conspicua** v. **brevistriata** Hustedt  
68

**Achnanthes daonensis** Lange-Bertalot  
64

- Achnanthes delicatula** (Kützing) Grunow in Cleve & Grunow, 1880  
 (Syn.: *Achnanthidium delicatulum* Kützing)  
 1, 6, 7, 11, 64, 68
- Achnanthes exigua** Grunow in Cleve & Grunow, 1880  
 64, 68
- Achnanthes exilis** Kützing  
 1, 27, 28, 31, 49
- Achnanthes flexella** (Kützing) Brun  
 1, 4, 10, 7, 11, 12, 21, 22, 25, 26, 28, 30, 31,  
 39, 64, 68, 69
- Achnanthes flexella** v. *alpestris* Brun  
 1, 22, 29
- Achnanthes fulva** Carter  
 10
- Achnanthes gibberula** Grunow in Cleve & Grunow, 1880  
 (Syn.: *Achnanthes gibberula* v. *angustior* V. Heurck; *Achnanthes grimmei* v. *elliptica* Krasske; *Achnanthes grimmei* v. *hyalina* Hustedt; *Achnanthes thermalis* Rabh.)  
 1, 17, 68
- Achnanthes grimmei** Krasske  
 64
- Achnanthes hietzii** (Hustedt) Lange-Bertalot  
 (Syn.: *Coccneis thienemannii* Hustedt)  
 10
- Achnanthes hirta** Carter  
 10
- Achnanthes hungarica** (Grunow) Grunow in Cleve & Grunow, 1880  
 31, 57, 62, 68, 51
- Achnanthes inflata** (Kützing) Grunow  
 31, 33, 34, 62, 68
- Achnanthes inflata** v. *elata* (Leud.-Fortm.) Hustedt  
 68
- Achnanthes kranzii** Lange-Bertalot  
 64
- Achnanthes lanceolata** (Brébisson) ex Kützing) Grunow in Cleve & Grunow, 1880  
 1, 4, 10, 22, 27, 28, 30, 31, 32, 34, 36, 40,  
 54, 55, 56, 57, 59, 61, 64, 68, 69, 52
- Achnanthes lapidosa** Krasske  
 10, 64
- Achnanthes lapponica** Hustedt  
 (Syn.: *Achnanthes giadraterea* (Oestrup) Müller ex Foged)  
 10, 57
- Achnanthes lucana** Carter  
 10
- Achnanthes marginulata** Grunow in Cleve & Grunow, 1880  
 10, 64
- Achnanthes minutissima** Kützing  
 (Syn.: *Achnanthes linearis* (W. Smith) Grunow; *Achnanthes affinis* Grunow; *Achnanthes minutissima* v. *cryptocephala* Grunow; *Achnanthes microcephala* (Kützing) Cleve)  
 1, 3, 4, 7, 10, 11, 19, 20, 21, 22, 25, 26, 27,  
 28, 30, 31, 32, 34, 35, 38, 40, 47, 52, 57, 58,  
 59, 61, 62, 68, 69, 70
- Achnanthes minutissima** v. *jackii* (Rabenhorst) Lange-Bertalot & Ruppel  
 (Syn.: *Achnanthes subatomus* Hustedt)  
 10
- Achnanthes oestrupii** (Cleve) Hustedt  
 10, 29
- Achnanthes pericava** Carter  
 62
- Achnanthes petersenii** Hustedt  
 64
- Achnanthes ploenensis** Hustedt  
 68
- Achnanthes ploenensis** v. *gessneri* (Hustedt) Lange-Bertalot  
 (Syn.: *Achnanthes gessneri* Hustedt)  
 64
- Achnanthes pusilla** Grunow in Cleve & Grunow, 1880  
 31, 64, 70
- Achnanthes pyropia** Carter  
 10

- Achnanthes rostrata** Oestrup  
 (Syn.: *Achnanthes lanceolata* v. *dubia*  
*Grunow*; *Achnanthes lanceolata* v. *rostrata*  
*Hustedt*)  
 4, 26, 29, 57, 59, 61, 64, 68, 69
- Achnanthes sphacelata** Carter  
 10
- Achnanthes subatomoides** (Hustedt) Lange-Bertalot  
 (Syn.: *Navicula subatomoides* Hustedt)  
 10, 64
- Achnanthes subsalsa** Petersen  
 62
- Achnanthes suchlandtii** Hustedt  
 (Syn.: *Coccineis utermoehlii* Hustedt)  
 10
- Achnanthes sylvahercynia** Lange-Bertalot  
 64
- Achnanthes swazi** Cholnoky  
 10
- Achnanthes trinodis** (W. Smith) Grunow in V. Heurck, 1880  
 10, 28, 31, 34
- Achnanthes tuma** Carter  
 10
- ACTINOPTYCHUS** Ehrenberg, 1839
- Actinoptychus undulatus** (Bailey) Ralfs  
 49, 68
- AMPHIPLERA** Kützing, 1844
- Amphipleura lindheimerii** Grunow  
 22, 28, 29
- Amphipleura micans** (Lyngbye) Cleve  
 (Syn.: *Berkeleya micans* Grunow)  
 68
- Amphipleura micans** v. *fragilis* (Greville) Cleve  
 (Syn.: *Berkeleya fragilis* Greville)  
 68
- Amphipleura pellucida** (Kützing) Kützing  
 4, 19, 21, 22, 26, 30, 31, 34, 36, 47, 54, 55,  
 56, 57, 58, 59, 62, 64, 68, 69
- Amphipleura rutilans** (Trentepohl ex Roth) Cleve  
 (Syn.: *Berkeleya rutilans* (Trentepohl) Grunow)  
 68
- AMPHIPRORA** Ehrenberg, 1841
- Amphiprora alata** (Ehrenberg) Kützing  
 (Syn.: *Entomoneis alata* (Ehrenberg) Ehrenberg)  
 4, 9, 68
- Amphiprora duplex** Donkin  
 (Syn.: *Amphiprora paludosa* v. *duplex* (Donkin) Cleve)  
 68
- Amphiprora gigantea** Grunow v. **septentrionalis** (Grunow) Cleve  
 (Syn.: *Amphiprora septentrionalis* Grunow; *Amphiprora decussata* Grunow v. *septentrionalis* Grunow)  
 68
- Amphiprora paludosa** W. Smith  
 (Syn.: *Entomoneis paludosa* (W. Smith) Reimer)  
 19, 21, 26, 27, 30, 31, 34, 68, 69
- AMPHORA** Ehrenberg, 1840
- Amphora angusta** (Gregory) Cleve  
 68
- Amphora arcus** Gregory v. **sulcata** (Schmidt) Cleve  
 68
- Amphora arenaria** Donkin  
 68
- Amphora arenicola** Grunow  
 19, 24, 30
- Amphora binodis** Gregory  
 49
- Amphora binodis** v. **bigibba** Grunow ex A. Schmidt  
 (Syn.: *Amphora binodis* Gregory)  
 68
- Amphora castellata** Giffen  
 (Syn.: *Amphora hybrida* Grunow)  
 68

- Amphora cingulata** Cleve  
49, 68
- Amphora coffeaeformis** (Agardh) Kützing  
(Syn.: *Amphora salina* W. Smith)  
5, 9, 20, 26, 27, 30, 31, 34, 64, 68, 69
- Amphora coffeaeformis** (Agardh) Kützing  
v. **acutiuscula** (Kützing) Rabh  
(Syn.: *Amphora acutiuscula* Kützing)  
19, 20, 24, 26, 27, 30, 34, 68
- Amphora coffeaeformis** v. **aponina** (Kützing) Archibald & Schoemann  
68
- Amphora communata** Grunow in V. Heurck, 1880  
68
- Amphora decussata** Grunow  
68
- Amphora exilissima** Giffen  
68
- Amphora graeffii** Grunow ex. A. Schmidt,  
1875  
49
- Amphora graeffii** v. **minor** Peragallo  
7, 68
- Amphora grevilleana** Gregory  
37
- Amphora holsatica** Hustedt  
62, 68
- Amphora hyalina** Kützing  
68
- Amphora lineolata** Ehrenberg  
26, 27, 30, 31, 34
- Amphora lybica** Ehrenberg  
(Syn.: *Amphora ovalis* v. *affinis* (Kützing)  
V. Heurck ex De Toni; *Amphora ovalis* v.  
*lybica* (Ehrenberg) Cleve)  
30, 31, 37, 57, 64, 68
- Amphora macilenta** Gregory sensu Cleve-  
Euler, 1953  
68
- Amphora margalefii** X. Tomàs  
62
- Amphora mexicana** A. Schmidt  
68
- Amphora micrometra** Giffen  
68
- Amphora montana** Krasske  
(Syn.: *Amphora submontana* Hustedt)  
22, 57, 59, 64, 68, 69
- Amphora normanii** Rabenhorst  
(Syn.: *Amphora humicola* Grunow)  
4, 27, 30, 57, 61, 68
- Amphora ostrearia** Brébisson ex Kützing,  
1849  
49
- Amphora ostrearia** v. **lineata** Cleve  
68
- Amphora ovalis** (Kützing) Kützing  
(Syn.: *Amphora ovalis* v. *gracilis* (Ehrenberg) V. Heurck)  
1, 11, 19, 21, 22, 25, 26, 27, 28, 30, 31, 32,  
34, 40, 54, 55, 59, 61, 65, 68, 70
- Amphora ovalis** v. **affinis** (Kützing) V. Heurck ex De Toni, 1891  
68
- Amphora pediculus** (Kützing) Grunow ex A. Schmidt, 1875  
(Syn.: *Amphora ovalis* (Kützing) Kützing  
v. *pediculus* (Kützing) V. Heurck; *Amphora perpusilla* Grunow)  
1, 19, 22, 26, 27, 30, 31, 34, 36, 43, 50, 51,  
52, 54, 55, 57, 58, 59, 61, 64, 68, 69
- Amphora staurophora** Dannfeldt  
68
- Amphora veneta** Kützing  
(Syn.: *Amphora gouswii* Cholnoky)  
4, 6, 27, 30, 31, 37, 50, 51, 52, 57, 59, 65,  
68, 69
- Amphora veneta** v. **capitata** Haworth  
68
- Amphora veneta** v. **subcapitata** Kissel  
68
- ANOMOEONEIS** Pfitzer, 1871
- Anomoeoneis brachysira** (Brébisson) Grunow in Cleve, 1985 v. **zellensis** (Grunow) Krammer

- (Syn.: *Anomoeoneis zellensis* (Grunow) Cleve)  
28, 64
- Anomoeoneis sphaerophora** (Ehrenberg) Pfitzer  
19, 25, 26, 30, 31, 50, 58, 68
- Anomoeoneis sphaerophora v. guentheri** O. Müller  
68
- Anomoeoneis sphaerophora v. sculpta** (Ehrenberg) O. Müller  
(Syn.: *Anomoeoneis sculpta* Ehrenberg)  
30, 31, 34, 68
- Anomoeoneis vitrea** (Grunow) Ross in Patrick & Reimer, 1966  
(Syn.: *Anomoeoneis exilis* (Grunow) Cleve)  
10, 22, 31, 64, 68, 69
- Anomoeoneis vitrea f. lanceolata** Mayer  
68
- ASTERIONELLA** Hassall, 1850
- Asterionella formosa** Hassall  
9, 22, 35, 38, 63, 70
- Asterionella formosa v. acaroides** Lemmermann  
9
- AULACOSEIRA** Thwaites, 1848
- Aulacoseira ambigua** (Grunow) Simonsen  
(Syn.: *Melosira ambigua* (Grunow) O. Müller)  
57, 68
- Aulacoseira distans** (Ehrenberg) Simonsen  
(Syn.: *Melosira distans* (Ehrenberg) Kützing)  
1, 10, 22, 28, 31, 32, 34, 40
- Aulacoseira distans v. nivalis** (W. Smith) Haworth  
(Syn.: *Melosira distans* v. *nivalis* (W. Smith) Kirchner)  
22, 28
- Aulacoseira granulata** (Ehrenberg) Simonsen  
(Syn.: *Melosira granulata* (Ehrenberg) Ralfs)
- 1, 33, 36, 38, 52, 57, 59, 62, 63, 68, 69
- Aulacoseira granulata v. angustissima** (O. Müller) Simonsen  
(Syn.: *Melosira granulata* v. *angustissima* O. Müller)  
9, 57, 59, 61, 63, 68, 69
- Aulacoseira granulata v. curvata** (Grunow) Simonsen  
(Syn.: *Melosira granulata* f. *curvata* Grunow)  
57, 68
- Aulacoseira islandica** (O. Müller) Simonsen  
(Syn.: *Melosira islandica* O. Müller)  
22, 28, 70
- Aulacoseira italicica** (Ehrenberg) Simonsen  
(Syn.: *Melosira italicica* (Ehrenberg) Kützing)  
1, 22, 28, 34, 38, 40, 68
- Aulacoseira subactica** (O. Müller) Haworth  
(Syn.: *Melosira italicica* v. *subactica* O. Müller)  
70
- BACILLARIA** Gmelin, 1788
- Bacillaria paradox** Gmelin in Linnaeus  
(Syn.: *Bacillaria paxillifer* (O.F. Müller) Hendey)  
19, 27, 30, 31, 38, 57, 68
- Bacillaria paradox v. tumidula** Grunow  
31
- BIDDULPHIA** Gray, 1831
- Biddulphia aurita** (Lyngbye) Brébisson & Godey  
68
- Biddulphia laevis** Ehrenberg  
31, 59, 68, 69
- Biddulphia mobilensis** Bailey  
68
- Biddulphia pulchella** Gray  
30, 34

**CALONEIS** Cleve, 1891

- Caloneis alpestris** (Grunow) Cleve  
7, 22, 28, 57, 68
- Caloneis amphisbaena** (Bory) Cleve  
(Syn.: *Navicula amphisbaena* Bory)  
11, 31, 57, 58, 61, 62, 68, 69
- Caloneis amphisbaena v. subsalina** (Donkin) Cleve  
57, 68
- Caloneis bacillum** (Grunow) Cleve  
10, 11, 29, 31, 34, 54, 55, 57, 58, 59, 62, 64,  
68, 69
- Caloneis fasciata** (Lagerstedt) Cleve  
10
- Caloneis leptosoma** (Grunow) Krammer  
(Syn.: *Pinnularia leptosoma* (Grunow)  
Cleve)  
10
- Caloneis oregonica** (Ehrenberg) Patrick  
(Syn.: *Caloneis formosa* (Gregory) Cleve;  
*Caloneis westii* (W. Smith) Hendey)  
68
- Caloneis permagna** (Bailey) Cleve  
68
- Caloneis tenuis** (Gregory) Krammer  
(Syn.: *Pinnularia gracillima* Gregory)  
10, 22, 28, 29, 64
- Caloneis undulata** (Gregory) Krammer  
(Syn.: *Pinnularia undulata* Gregory)  
29, 32, 40
- Caloneis ventricosa** (Ehrenberg) Meister  
(Syn.: *Caloneis silicula* (Ehrenberg) Cleve  
sensu Krammer & Lange-Bertalot)  
10, 19, 20, 21, 25, 26, 27, 28, 29, 30, 31, 32,  
34, 36, 37, 43, 54, 55, 57, 61, 64, 68, 70
- Caloneis ventricosa v. minuta** (Grunow)  
Patrick  
(Syn.: *Caloneis silicula* (Ehrenberg) Cleve  
v. *minuta* (Grunow) Cleve)  
68
- Caloneis ventricosa v. truncatula** (Grunow) Meister  
(Syn.: *Caloneis silicula* (Ehrenberg) Cleve  
v. *truncatula* (Grunow) Cleve)  
55

**CAMPYLODISCUS** Ehrenberg, 1840

- Campylodiscus bicostatus** W. Smith in Roper, 1854  
(Syn.: *Campylodiscus clypeus* v. *bicostata*  
(W. Smith) Hustedt)  
37, 68
- Campylodiscus clypeus** Ehrenberg  
26, 30, 68
- Campylodiscus echeneis** Ehrenberg  
19, 30, 37, 68
- Campylodiscus hibernicus** Ehrenberg  
(Syn.: *Campylodiscus noricus* v. *hibernica*  
(Ehrenberg) Grunow)  
68
- Campylodiscus noricus** Ehrenberg  
19, 21, 27, 28, 30, 31, 34, 54, 55, 58
- Campylodiscus noricus v. ornatus** Greville  
22
- CERATAULUS** Ehrenberg, 1844
- Cerataulus radiatus** (Roper) R. Ross  
(Syn.: *Cerataulus smithii* Ralfs in Pritchard)  
68
- CERATONEIS** Ehrenberg, 1840
- Ceratoneis arcus** (Ehrenberg) Kützing  
(Syn.: *Ceratoneis arcus* Kützing v. *genuina*  
Holmboe)  
1, 4, 10, 19, 22, 28, 31, 32, 34, 40, 54, 55,  
56, 57, 59, 61, 64, 69, 70
- Ceratoneis arcus v. amphioxys** (Rabenhorst) Brun  
1, 22, 40, 57, 61, 64, 69
- Ceratoneis arcus v. linearis** Holmboe  
40
- COCCONEIS** Ehrenberg, 1838
- Cocconeis disculus** (Schumann) Cleve  
29, 68
- Cocconeis disculus v. diminuta** (Pantocsek)  
Cleve-Euler  
(Syn.: *Cocconeis diminuta* Pant.)  
62, 64, 68

<b>Cocconeis microscopica</b> Cholnoky 10	<b>Coscinodiscus marginatus</b> Ehrenberg 30
<b>Cocconeis molesta</b> Kützing v. <b>crucifera</b> Grunow 68	<b>Coscinodiscus nitidus</b> Gregory 68
<b>Cocconeis pediculus</b> Ehrenberg 1, 19, 20, 21, 22, 26, 27, 28, 30, 31, 34, 36, 54, 55, 56, 57, 59, 61, 62, 68, 69	<b>Coscinodiscus radiatus</b> Ehrenberg 49, 68
<b>Cocconeis placentula</b> Ehrenberg 4, 7, 9, 10, 11, 13, 50, 19, 20, 21, 22, 24, 25, 26, 27, 28, 29, 30, 31, 32, 34, 37, 40, 47, 41, 51, 54, 55, 56, 57, 58, 59, 61, 62, 64, 65, 68, 69	<b>CYCLOPHORA</b> Castracane, 1878
<b>Cocconeis placentula</b> v. <b>euglypta</b> (Ehrenberg) Grunow 2, 17, 62, 68, 69	<b>Cyclophora tenuis</b> Castracane 68
<b>Cocconeis placentula</b> v. <b>klinorhaphis</b> Geitler 29	<b>CYCLOSTEPHANOS</b> Round in Theriot <i>et al.</i> , 1987
<b>Cocconeis placentula</b> v. <b>lineata</b> (Ehrenberg) V. Heurck 17, 68, 69	<b>Cyclostephanos dubius</b> (Fricke) Round 62, 63
<b>Cocconeis placentula</b> v. <b>pseudolineata</b> Geitler 68, 69	<b>CYCLOTELLA</b> (Kützing) Brébisson, 1838
<b>Cocconeis scutellum</b> Ehrenberg 27, 30, 49, 68	<b>Cyclotella atomus</b> Hustedt 13, 50, 51, 52, 57, 59, 61, 63, 64, 68, 69
<b>Cocconeis scutellum</b> v. <b>parva</b> (Grunow) Cleve 68	<b>Cyclotella bodanica</b> Grunow in Schneider, 1878 22
<b>Cocconeis stauroneiformis</b> (V. Heurck) Okuno (Syn.: <i>Cocconeis scutellum</i> v. <i>stauroneiformis</i> W. Smith) 68	<b>Cyclotella catena</b> Brun 9
<b>Cocconeis thumensis</b> Mayer 68	<b>Cyclotella comensis</b> Grunow in V. Heurck, 1882 63, 64
<b>COSCINODISCUS</b> Ehrenberg, 1838	<b>Cyclotella comta</b> (Ehrenberg) Kützing 1, 20, 25, 31, 32, 42, 40, 46, 47, 52, 63, 68
<b>Coscinodiscus lacustris</b> Grunow 9, 40, 68	<b>Cyclotella comta</b> v. <b>oligactis</b> (Ehrenberg) Grunow in V. Heurck, 1882 4, 32, 70
<b>Coscinodiscus lacustris</b> v. <b>hyperborea</b> Grunow 68	<b>Cyclotella cryptica</b> Reimann, Lewin & Guillard 68
	<b>Cyclotella glomerata</b> Bachmann 13, 19, 21, 45, 46, 47, 41, 51, 52, 65, 68
	<b>Cyclotella iris</b> v. <b>coccineiformis</b> Brun & Heribaud 62
	<b>Cyclotella kuetzingiana</b> Thwaites 1, 13, 19, 21, 25, 26, 27, 30, 31, 34, 36, 46, 51, 52, 57, 59, 63, 64, 68, 69

- Cyclotella meduanae** Germain 31, 32, 34, 36, 39, 40, 51, 52, 54, 55, 56, 57, 58, 59, 61, 64, 65, 67, 69
- Cyclotella melosiroides** (Kirchner) Lemmermann 29, 66
- Cyclotella meneghiniana** Kützing 1, 7, 10, 19, 21, 22, 25, 26, 27, 28, 30, 31, 34, 36, 37, 46, 47, 41, 51, 52, 57, 58, 59, 61, 62, 63, 65, 68, 69
- Cyclotella ocellata** Pant. Fricke in A. Schmidt, 1990 32, 34, 35, 36, 38, 39, 40, 64, 66
- (Syn.: *Cyclotella Kuetzingiana* v. *planetophora*) 13, 27, 38, 51, 52, 57, 59, 64, 68, 69
- Cyclotella parva** Kützing 31, 66
- Cyclotella pseudostelligera** Hustedt 10, 52, 57, 61, 64, 66, 68
- Cyclotella stelligera** Cleve & Grunow 14, 68
- Cyclotella striata** (Kützing) Grunow in Cleve & Grunow, 1880 4, 10, 11, 28, 29, 30, 31, 32, 57, 61, 66, 68
- CYMATOPLEURA** W. Smith, 1851 nom. cons.
- Cymatopleura elliptica** (Brébisson) W. Smith 20, 30, 31, 34, 35, 36, 57, 64, 68
- Cymatopleura solea** (Brébisson & Godey) W. Smith 7, 11, 15, 19, 25, 31, 34, 37, 57, 58, 59, 61, 68, 69
- CYMATOSIRA**, Grunow, 1862
- Cymatosira belgica** Grunow in V. Heurck, 1881 19, 22, 27, 28, 30, 31, 36, 52, 64, 68
- CYMBELLA** Agardh, 1830
- Cymbella aequalis** W. Smith 10, 31, 57, 68, 69
- (Syn.: *Cymbella obtusa* Gregory) 1, 21, 30, 40, 67, 68
- Cymbella affinis** Kützing 1, 10, 19, 20, 21, 22, 24, 25, 26, 27, 28, 30,
- Cymbella alpina** Grunow 31, 32, 34, 36, 39, 40, 51, 52, 54, 55, 56, 57, 58, 59, 61, 64, 65, 67, 69
- Cymbella amphicephala** Nägeli ex Kützing, 1849 1, 7, 10, 19, 21, 22, 25, 26, 27, 28, 30, 31, 32, 34, 35, 36, 38, 39, 40, 64, 66
- Cymbella aspera** (Ehrenberg) Peragallo in Pelletan, 1889 7, 11, 22, 25, 28, 30, 31, 32, 34, 37, 54, 55, 57, 59, 61, 64, 66
- Cymbella brehmii** Hustedt 31, 66
- Cymbella cesatti** (Rabenhorst) Grunow in A. Schmidt, 1881 10, 52, 57, 61, 64, 66, 68
- Cymbella cistula** (Ehrenberg) Kirchner (Syn.: *Cymbella maculata* (Kützing) Brébisson & Godey) 4, 10, 11, 28, 29, 30, 31, 32, 57, 61, 66, 68
- Cymbella cistula** v. **gibbosa** Brun 68
- Cymbella cuspidata** Kützing 22, 28, 31, 32
- Cymbella cymbiformis** Agardh 19, 22, 28, 31, 34, 48, 64, 66, 68, 69
- Cymbella cymbiformis** v. **nonpunctata** Fontell (Syn.: *Cymbella parva* (W. Smith) Cleve sensu Hustedt) 19, 22, 27, 28, 30, 31, 36, 52, 64, 68
- Cymbella delicatula** Kützing 10, 31, 57, 68, 69
- Cymbella ehrenbergii** Kützing (Syn.: *Cymbella inaequalis* (Ehrenberg) Rabenhorst) 1
- Cymbella elginensis** Krammer (Syn.: *Cymbella turgida* Gregory) 22, 32, 57
- Cymbella falaisensis** (Grunow) Krammer & Lange-Bertalot

- (Syn.: *Navicula falaisensis* Grunow in V. Heurck, 1880)  
43, 64
- Cymbella gracilis** (Ehrenberg) Kützing  
7, 10, 11, 22, 25, 28, 31, 32, 40, 64
- Cymbella helvetica** Kützing  
25, 26, 27, 28, 30, 31, 32, 34, 36, 52, 57, 59, 64, 66, 68, 69
- Cymbella helvetica** v. **curta** Meister  
69
- Cymbella helvetica** v. **gracilis** Meister  
19, 21, 30
- Cymbella hustedtii** Krasske  
29, 64, 68, 69
- Cymbella incerta** Grunow  
10, 66, 68
- Cymbella lacustris** (Agardh) Cleve  
31, 57, 61, 68
- Cymbella laevis** Nägeli ex Kützing, 1849  
68
- Cymbella lanceolata** (Ehrenberg) Kirchner  
4, 19, 21, 22, 31, 34, 40, 67
- Cymbella lata** Grunow  
64
- Cymbella latens** Krasske  
68
- Cymbella leptoceros** (Ehrenberg) Kützing  
19, 30, 31, 34, 52, 68
- Cymbella microcephala** Grunow in V. Heurck, 1880  
10, 19, 20, 21, 22, 25, 26, 27, 28, 30, 31, 32, 34, 35, 36, 52, 57, 58, 61, 62, 64, 66, 68, 69
- Cymbella minuta** Hilse ex Rabenhorst, 1862  
(Syn.: *Cymbella ventricosa* Kützing p.p.)  
12, 26, 27, 28, 30, 31, 32, 36, 40, 47, 51, 52, 54, 57, 59, 61, 62, 64, 66, 68, 70
- Cymbella naviculacea** Grunow  
64
- Cymbella naviculiformis** Auerswald ex Heib., 1863  
10, 31, 53
- Cymbella obtusiuscula** Kützing  
4, 57, 61, 64, 68, 69
- Cymbella perpusilla** Cleve  
10, 19, 22, 28, 29, 31, 64, 66
- Cymbella prostrata** (Berkeley) Brun  
1, 28, 31, 34, 40, 54, 55, 56, 57, 59, 61, 66, 68
- Cymbella prostrata** v. **auerswaldii** (Rabenhorst) Reimer in Patrick & Reimer, 1975  
(Syn.: *Cymbella caespitosa* (Kützing) Brun. v. *auerswaldii* (Babenhorst) Cleve-Euler; *Cymbella caespitosa* (Kützing) Brun)  
1, 7, 48, 57, 68
- Cymbella pusilla** Grunow ex A. Schmidt, 1875  
9, 20, 24, 26, 30, 31, 34, 68
- Cymbella silesiaca** Bleisch in Rabenhorst, 1875  
(Syn.: *Cymbella ventricosa* Kützing; *Cymbella ventricosa* v. *silesiaca* (Bleisch ex Rabenhorst) Cleve-Euler; *Cymbella minuta* v. *silesiaca* Bleisch)  
22, 32, 34, 66
- Cymbella similis** Krasske  
10, 22
- Cymbella sinuata** Gregory  
10, 22, 28, 29, 32, 54, 55, 57, 59, 61, 62, 64, 66, 68, 69
- Cymbella subaequalis** Grunow in V. Heurck, 1880  
66
- Cymbella tumida** (Brébisson ex Kützing) Grunow in V. Heurck, 1880  
26, 31, 57, 66, 68
- Cymbella tumidula** Grunow ex A. Schmidt, 1875  
29, 31, 32, 57, 64, 66
- DENTICULA** Kützing, 1844
- Denticula elegans** Kützing  
1, 19, 22, 28, 30, 31, 32, 34, 40, 57, 68
- Denticula kützingii** Grunow  
(Syn.: *Nitzschia denticula* Grunow in Cleve & Grunow, 1880)  
57, 68

- Denticula sundayensis** Arch.  
57, 62, 68
- Denticula tenuis** Kützing  
1, 10, 11, 19, 20, 21, 24, 25, 26, 27, 28, 30,  
31, 32, 34, 35, 36, 37, 57, 59, 64, 69
- Denticula tenuis v. crassula** (Nägeli) W. &  
G.S. West  
57, 61, 64, 69
- Denticula tenuis v. frigida** (Kützing) Grunow in V. Heurck, 1881  
1, 19, 30
- Denticula thermalis** Kützing  
40
- DIATOMA** De Candolle, 1805
- Diatoma anceps** (Ehrenberg) Kirchner  
1, 7, 10, 12, 29
- Diatoma hyemalis** (Roth) Heiberg  
7, 10, 11, 22, 28, 31, 32, 40, 57, 59, 61, 64,  
69, 70
- Diatoma hyemalis v. mesodon** (Ehrenberg) Fricke  
1, 12, 28, 31, 32, 34, 54, 55, 56, 57, 61, 64,  
69, 70
- Diatoma tenuis** Agardh v. **elongatum**  
Lyngbye  
(Syn.: *Diatoma elongatum* (Lyngbye)  
Agardh)  
1, 10, 19, 28, 30, 31, 34, 36, 47, 59, 61, 68
- Diatoma vulgaris** Bory v. **vulgaris**  
(Syn.: *Diatoma vulgaris* v. *capitulata* Grunow; *Diatoma vulgaris* v. *producta* Grunow)  
1, 4, 7, 11, 50, 51, 19, 20, 28, 29, 31, 32, 34,  
54, 55, 56, 57, 59, 61, 64, 68, 69
- Diatoma vulgaris** v. **breve** Grunow  
57, 68, 69
- Diatoma vulgaris** v. **ehrenbergii** (Kützing)  
Grunow  
(Syn.: *Diatoma vulgaris* v. *grandis* Grunow)  
57, 69
- Diatoma vulgaris** v. **ovalis** (Fricke) Hustedt  
57, 68, 69
- DIDYMOSPHENIA** M. Schmidt in A. Schmidt, 1899 nom. cons.
- Didymosphenia geminata** (Lyngbye) M. Schmidt in A. Schmidt, 1899  
(Syn.: *Gomphonema geminatum* (Lyngbye) Agardh)  
30
- DIPLONEIS** Ehrenberg, 1840
- Diploneis bombus** (Ehrenberg) Ehrenberg ex Cleve, 1894  
68
- Diploneis campylodiscus** (Grunow) Cleve  
68
- Diploneis didyma** (Ehrenberg) Ehrenberg  
30, 68
- Diploneis elliptica** (Kützing) Cleve  
(Syn.: *Navicula elliptica* Kützing)  
1, 7, 8, 10, 11, 19, 21, 22, 25, 26, 27, 28, 30,  
31, 32, 36, 37, 39, 40, 47, 57, 61, 68
- Diploneis elliptica v. ladogensis** Cleve  
31, 34
- Diploneis fusca** (Gregory) Cleve v. **aestiva**  
(Donkin) Hustedt  
68
- Diploneis gorjanovicii** (Pant.) Hustedt  
68
- Diploneis interrupta** (Kützing) Cleve  
27, 30, 68, 70
- Diploneis litoralis** (Donkin) Cleve  
68
- Diploneis oblongella** (Nägeli) Cleve-Euler  
(Syn.: *Diploneis ovalis* (Hilse) Cleve v. *oblongella* (Näg.) Cleve)  
21, 22, 26, 27, 30, 31, 32, 34, 36, 57, 61, 62,  
64, 68
- Diploneis oculata** (Brébisson) Cleve  
30, 31, 64, 68
- Diploneis ovalis** (Hilse) Cleve  
4, 10, 26, 27, 28, 30, 31, 34, 40, 54, 55, 62,  
64, 68, 69
- Diploneis parma** Cleve  
22, 27

- Diploneis petersenii** Hustedt  
10  
**Diploneis puella** (Schumann) Cleve  
29, 30, 68  
**Diploneis smithii** (Brébisson ex W. Smith)  
Cleve  
(Syn.: *Navicula smithii* Brébisson)  
7, 68  
**Diploneis smithii v. pumila** (Grunow) Hustedt  
(Syn.: *Diploneis ovalis* (Hilse) Cleve v. *pumila* Cleve)  
19  
**Diploneis smithii v. recta** Peragallo  
68  
**Diploneis smithii v. rhombica** Mereschkowsky  
68  
**Diploneis splendida** (Gregory) Cleve  
30  
**Diploneis vetula** (A. Schmidt) Cleve  
68  
**Diploneis weissflogii** (A. Schmidt) Cleve  
68  
**DYTILUM** Bailey, 1861  
**Dytium brightwellii** (T. West) Grunow in  
V. Heurck, 1883  
68  
**ELLERBECKIA** Crawford, 1988  
**Ellerbeckia arenaria** (Moore ex Ralfs)  
Crawford  
(Syn.: *Melosira arenaria* Moore)  
7, 11, 19, 25, 27, 28, 29, 30, 31, 32, 34, 54,  
55, 57, 64  
**EPITHEMIA** Brébisson, 1838  
**Epithemia adnata** (Kützing) Brébisson  
(Syn.: *Epithemia zebra* (Ehrenberg))  
Kützing  
4, 10, 26, 30, 31, 62, 68  
**Epithemia adnata v. porcellus** (Kützing)  
Ross  
(Syn.: *Epithemia zebra* (Ehrenberg))  
Kützing v. *porcellus* (Kützing) Grunow  
68  
**Epithemia adnata v. saxonica** (Kützing)  
Patrick in Patrick & Reimer, 1975  
(Syn.: *Epithemia zebra* (Ehrenberg))  
Kützing v. *saxonica* (Kützing) Grunow  
19, 22, 28, 31, 34, 68  
**Epithemia argus** (Ehrenberg) Kützing  
1, 19, 21, 26, 27, 29, 30, 31, 34, 68  
**Epithemia argus v. alpestris** (W. Smith)  
Grunow  
68  
**Epithemia argus v. longicornis** (Ehrenberg)  
Grunow  
68  
**Epithemia goeppertiana** Hilse  
(Syn.: *Epithemia muelleri* Fricke in A.  
Schmidt et. al., 1904)  
22, 31, 32, 40, 68  
**Epithemia ocellata** (Enrenberg) Kützing  
34  
**Epithemia sorex** Kützing  
3, 4, 19, 20, 21, 24, 26, 30, 31, 34, 37, 54,  
55, 56, 57, 62  
**Epithemia turgida** (Ehrenberg) Kützing  
1, 3, 4, 7, 11, 19, 21, 22, 28, 30, 34, 37, 48,  
54, 55, 56, 57, 58, 61, 62  
**EUNOTIA** Ehrenberg, 1837  
**Eunotia arcus** Ehrenberg  
1, 10, 19, 21, 22, 26, 28, 30, 31, 32, 34, 40,  
53, 57, 64, 68  
**Eunotia arcus v. bidens** Grunow in V.  
Heurck, 1881  
57  
**Eunotia arcus v. fallax** Hustedt  
(Syn.: *Eunotia fallax* Cleve)  
10, 22, 31  
**Eunotia bidentula** W. Smith  
32  
**Eunotia bigibba** Kützing  
22, 28  
**Eunotia diodon** Ehrenberg  
64

- Eunotia exigua** (Brébisson) Rabenhorst  
10, 22, 28
- Eunotia exigua v. bidens** Hustedt  
22
- Eunotia faba** (Ehrenberg) Grunow v. **densi-**  
**striata** Oestrup  
28
- Eunotia flexuosa** (Brébisson) Kützing  
68
- Eunotia glacialis** Meister  
(Syn.: *Eunotia gracilis* (Ehrenberg) Ra-  
benhorst; *Eunotia valida* Hustedt)  
1, 10, 22, 28, 32, 33, 40, 64
- Eunotia hexaglyphis** Ehrenberg  
(Syn.: *Eunotia polyglyphis* Grunow)  
22
- Eunotia incisa** Gregory  
64
- Eunotia lunaris** (Ehrenberg) Grunow  
1, 20, 22, 25, 28, 31, 32, 34, 40, 64
- Eunotia lunaris** v. **capitata** Grunow  
21, 29
- Eunotia nymanniana** Grunow in V.  
Heurck, 1881  
64
- Eunotia papilio** (Grunow) Hustedt in A.  
Schmidt, 1913 This species seems to be a  
doubtful record from Spain  
22
- Eunotia pectinalis** (O.F. Müller) Raben-  
horst  
4, 10, 22, 25, 27, 28, 30, 31, 32, 40, 52, 60,  
62, 64, 68, 69
- Eunotia pectinalis** v. **minor** (Kützing) Ra-  
benhorst  
10, 19, 22, 28, 31, 32, 64
- Eunotia pectinalis** v. **undulata** (Ralfs) Ra-  
benhorst  
57, 64
- Eunotia pectinalis** v. **ventricosa** (Grunow)  
Hustedt  
40, 68
- Eunotia praerupta** Ehrenberg  
10, 29, 30, 31, 32, 34, 53, 64
- Eunotia praerupta** v. **bidens** (Ehrenberg)  
Grunow in Cleve & Grunow, 1880  
10, 32
- Eunotia praerupta** v. **inflata** Grunow in V.  
Heurck, 1881  
10, 22
- Eunotia praerupta** v. **simplex** Manguin  
22, 28
- Eunotia pseudopectinalis** Hustedt  
68
- Eunotia rhomboidea** Hustedt  
64
- Eunotia serra** Ehrenberg  
(Syn.: *Eunotia robusta* Ralfs in Pritchard,  
1861 (Ehrenberg) Nörpel)  
29
- Eunotia serra** v. **tetraodon** (Ehrenberg)  
Nörpel  
(Syn.: *Eunotia robusta* v. *tetraodon* (Eh-  
renberg) Ralfs)  
22, 32
- Eunotia serra** v. **diadema** (Ehrenberg) Pa-  
trick  
(Syn.: *Eunotia robusta* v. *diadema* (Ehren-  
berg) Ralfs)  
10, 40
- Eunotia sudetica** O. Müller  
10, 64
- Eunotia tenella** (Grunow) Hustedt  
28, 29, 31, 50, 51, 53, 64
- Eunotia trinacria** Krasske  
22, 32
- Eunotia veneris** (Kützing) De Toni  
28, 32
- FRAGILARIA** Lyngbye, 1819
- Fragilaria atomus** Hustedt  
68
- Fragilaria bicapitata** A. Mayer  
10, 40
- Fragilaria brevistriata** Grunow  
10, 22, 28, 29, 40, 57, 59, 61, 62, 68
- Fragilaria capucina** Desmazières  
4, 7, 11, 19, 20, 25, 26, 27, 30, 31, 32, 34,

- 36, 38, 40, 52, 57, 59, 61, 64, 69, 70
- Fragilaria capucina v. acuta** (Ehrenberg) Rabenhorst  
1, 22, 28, 31
- Fragilaria capucina v. mesolepta** (Rabenhorst) Rabenhorst  
1, 22, 31, 54, 55, 56, 57, 62
- Fragilaria construens** (Ehrenberg) Grunow  
1, 4, 10, 22, 24, 27, 28, 30, 31, 32, 34, 37, 38, 40, 57, 59, 61, 62, 64, 68, 69
- Fragilaria construens v. binodis** (Ehrenberg) Hustedt  
22, 28, 30, 31, 57, 61
- Fragilaria construens v. subrotunda** Mayer  
62
- Fragilaria construens v. subsalina** Hustedt  
21, 57, 62
- Fragilaria construens v. venter** (Ehrenberg) Grunow in W. Heurck, 1881  
19, 57, 58, 61, 64, 68, 69
- Fragilaria crotonensis** Kitton  
19, 30, 31, 33, 35, 38, 40, 65
- Fragilaria inflata** (Heid.) Hustedt  
10, 31
- Fragilaria leptostauron** (Ehrenberg) Hustedt  
(Syn.: *Fragilaria harrisonii* Grunow)  
28, 29, 30, 31, 34, 35, 64
- Fragilaria leptostauron v. dubia** Grunow  
58, 64, 68
- Fragilaria pinnata** Ehrenberg  
10, 22, 32, 36, 57, 59, 61, 64, 68, 69
- Fragilaria pinnata v. intercedens** (Grunow) Hustedt  
(Syn.: *Fragilaria mutabilis* (W. Smith) Grunow)  
19
- Fragilaria pinnata v. lancettula** (Schumann) Hustedt  
57, 68, 69
- Fragilaria pseudoconstruens** Marciniak  
64
- Fragilaria robusta** (Fusey) Manguin  
(Syn.: *Fragilaria pseudoconstruens* v. *bibibba* (Manguin) Marciniak)  
64
- Fragilaria vaucheriae** (Kützing) Petersen in V. Heurck, 1881  
(Syn.: *Fragilaria intermedia* Grunow; *Synedra vaucheriae* (Kützing) Kützing)  
4, 10, 20, 29, 30, 31, 34, 52, 54, 55, 57, 59, 60, 61, 68, 70
- Fragilaria virescens** Ralfs  
10, 22, 28, 31, 32, 43, 58, 60
- Fragilaria virescens v. exigua** Grunow  
64
- FRUSTULIA** Agardh, 1824
- Frustulia creuzburgensis** (Krasske) Hustedt  
(Syn.: *Navicula creuzburgensis* Krasske)  
68
- Frustulia rhomboides** (Ehrenberg) De Toni  
1, 10, 22, 28, 32, 40, 64
- Frustulia rhomboides v. saxonica** (Rabenhorst) De Toni  
22, 28, 31, 32, 40
- Frustulia spicula** Amossé  
64
- Frustulia vulgaris** (Thwaites) De Toni  
10, 22, 25, 26, 28, 30, 31, 32, 34, 54, 57, 58, 61, 68, 69
- Frustulia vulgaris v. capitata** Krasske  
22, 27, 31, 34, 58, 64
- GOMPHOCYMBELLA** O. Müller, 1905
- Gomphocymbella ancyli** (Cleve) Hustedt  
(Syn.: *Cymbella ancyli* Cleve sensu Kramer & Lange-Bertalot)  
28, 29, 31, 32, 34
- GOMPHONEMA** Agardh, 1824
- Gomphonema acuminatum** Ehrenberg  
(Syn.: *Gomphonema acuminatum* v. *brevibissonii* (Kützing) Cleve)  
4, 8, 10, 19, 20, 21, 22, 25, 28, 29, 30, 31, 32, 34, 40, 57, 64, 66, 68

- Gomphonema acuminatum** v. **coronata** (Ehrenberg) W. Smith  
22, 29, 31, 40, 54, 55, 66, 68
- Gomphonema acuminatum** v. **turris** (Ehrenberg) Cleve  
22, 29, 31, 40, 54, 66, 68
- Gomphonema aestuarii** Cleve  
68
- Gomphonema affine** Kützing  
(Syn.: *Gomphonema lanceolatum* Ehrenberg)  
19, 20, 66, 68
- Gomphonema affine** v. **insigne** (Gregory) Andrews  
(Syn.: *Gomphonema insigne* Gregory *sensu* Krammer & Lange-Bertalot; *Gomphonema lanceolatum* Ehrenberg v. *insignis* (Gregory) Cleve)  
10, 19, 20, 66, 68
- Gomphonema angustatum** (Kützing) Rabenhorst  
4, 10, 31, 50, 51, 52, 53, 57, 59, 66, 68, 69
- Gomphonema angustatum** v. **producta** Grunow in V. Heurck, 1880  
54, 55, 56, 57, 59, 61, 64, 66, 68, 69
- Gomphonema angustum** Agardh emend. Krammer & Lange-Bertalot  
(Syn.: *Gomphonema bohemicum* Reichelt & Fricke; *Gomphonema intricatum* Kützing; *Gomphonema intricatum* v. *dichotoma* Kützing; *Gomphonema intricatum* v. *pumila* Grunow; *Gomphonema intricatum* v. *pusilla* A. Mayer; *Gomphonema intricatum* v. *vibrio* (Ehrenberg) Cleve)  
10, 19, 20, 21, 25, 26, 27, 28, 30, 31, 32, 34, 36, 40, 54, 55, 56, 57, 64, 66, 68, 69
- Gomphonema apicatum** Ehrenberg  
32
- Gomphonema clavatum** Ehrenberg  
(Syn.: *Gomphonema longiceps* Ehrenberg v. *subclavata* Grunow i f. *gracilis* Hustedt)  
4, 10, 66, 68
- Gomphonema clevei** Fricke in A. Schmidt, 1902  
68
- Gomphonema gracile** Ehrenberg  
10, 22, 26, 28, 30, 31, 32, 33, 40, 51, 57, 64, 66, 68, 69
- Gomphonema gracile** v. **lanceolata** (Kützing) Cleve  
66, 68
- Gomphonema helveticum** Brun  
32
- Gomphonema linearis** Hustedt  
(Syn.: *Gomphonema angustatum* (Kützing) Rabenhorst v. *linearis* Hustedt)  
40
- Gomphonema minutum** (Agardh) Agardh  
(Syn.: *Licmophora minuta* Agardh; *Gomphonema curtum* Hustedt; *Gomphonema curta* (Hustedt) Lange-Bertalot p.p.)  
1, 57, 59, 61, 64, 68, 69
- Gomphonema olivaceum** (Hornemann) Brébisson  
(Syn.: *Gomphoneis olivacea* (Hornemann) Dawson ex Ross & Sims, 1978)  
8, 10, 19, 21, 22, 24, 25, 27, 28, 30, 32, 34, 36, 37, 40, 54, 55, 56, 57, 59, 61, 66, 68
- Gomphonema olivaceum** v. **calcarea** (Cleve) Cleve  
66, 68
- Gomphonema olivaceum** v. **minutissima** Hustedt  
66
- Gomphonema parvulissima** Carter  
10, 66
- Gomphonema parvulum** (Kützing) Kützing  
10, 19, 21, 22, 27, 28, 30, 31, 34, 57, 59, 61, 66, 68
- Gomphonema parvulum** v. **micropus** (Kützing) Cleve  
66
- Gomphonema parvulum** v. **subelliptica** Cleve  
66
- Gomphonema rhombicum** Fricke in A. Schmidt, 1904  
10, 66
- Gomphonema subtile** Ehrenberg v. **sagitta** (Schumann) Cleve  
68

- Gomphonema tergestinum** (Grunow) Fricke in A. Schmidt, 1902  
10, 57, 61, 66, 68, 69
- Gomphonema truncatum** Ehrenberg  
(Syn.: *Gomphonema constrictum* Ehrenberg)  
4, 7, 10, 11, 15, 20, 22, 28, 30, 31, 32, 39, 40, 54, 55, 57, 58, 59, 61, 64, 66, 68
- Gomphonema truncatum** v. **capitatum** (Ehrenberg) Patrick in Patrick & Reimer, 1975  
(Syn.: *Gomphonema constrictum* Ehrenberg v. *capitata* (Ehrenberg) V. Heurck)  
19, 21, 25, 27, 28, 30, 31, 32, 52, 54, 55, 61, 66, 68, 69
- Gomphonema ventricosum** Gregory  
40
- GRAMMATOPHORA** Ehrenberg, 1840
- Grammatophora angulosa** Ehrenberg  
68
- Grammatophora marina** (Lyngbye) Kützing v. **marina**  
68
- Grammatophora marina** (Lyngbye) Kützing v. **adriatica** Grunow  
68
- GYROSIGMA** Hassall, 1845
- Gyrosigma acuminatum** (Kützing) Rabenhorst  
31, 34, 37, 40, 54, 55, 57
- Gyrosigma acuminatum** v. **brebissonii** (Grunow) Cleve  
19, 20, 21, 24, 26, 27, 30, 34
- Gyrosigma acuminatum** v. **gallicum** (Grunow) Cleve  
19, 26, 58
- Gyrosigma attenuatum** (Kützing) Rabenhorst  
1, 7, 25, 31, 34, 57, 68, 69
- Gyrosigma balticum** (Ehrenberg) Rabenhorst  
30, 68
- Gyrosigma eximium** (Thwaites) Boyer  
(Syn.: *Gyrosigma scalpoides* Rabenhorst  
v. *eximia* (Thwaites) Cleve)  
19, 27, 30, 31, 68
- Gyrosigma fasciola** (Ehrenberg) Griff. & Henfr.  
31, 34
- Gyrosigma macrum** (W. Smith) Griff. & Henfr.  
9
- Gyrosigma nodiferum** (Grunow) Reimer  
(Syn.: *Gyrosigma spencerii* v. *nodifera* (Grunow) Cleve)  
57, 69
- Gyrosigma peisonis** (Grunow) Hustedt  
(Syn.: *Gyrosigma wansbeckii* v. *peisonis* (Grunow) Cleve)  
68
- Gyrosigma scalpoides** (Rabenhorst) Cleve  
34, 57, 61, 64, 69
- Gyrosigma spencerii** (Quek.) Cleve  
26, 30, 31, 57, 68, 69
- Gyrosigma spencerii** v. **curvula** (Grunow) Reimer  
68
- Gyrosigma strigilis** (W. Smith) Griff. & Henfr.  
68
- Gyrosigma wansbeckii** (Donkin) Cleve  
19, 20, 68
- HANTZSCHIA** Grunow, 1877, nom. cons.
- Hantzschia amphioxys** (Ehrenberg) Grunow in Cleve & Grunow, 1880  
2, 4, 7, 11, 18, 19, 20, 22, 24, 26, 27, 30, 31, 32, 34, 43, 54, 55, 57, 58, 61, 62, 68, 69
- Hantzschia amphioxys** v. **capitata** O. Müller  
68
- Hantzschia amphioxys** v. **maior** Grunow in V. Heurck, 1881  
28, 54, 55
- Hantzschia amphioxys** v. **vivax** Grunow in Cleve & Grunow, 1880  
22, 27, 31

<b>Hantzschia distinctepunctata</b> Hustedt in A. Schmidt <i>et al.</i> , 1921		<b>Licmophora remulus</b> Grunow
68		68
<b>Hantzschia fenestrata</b> Hustedt	68	<b>LICMOSPHENIA</b> Mereschkowsky, 1902
		<b>Licmosphenia schmidtii</b> Mereschkowsky
<b>Hantzschia marina</b> (Donkin) Cleve in Cleve & Grunow, 1880		68
(Syn.: <i>Hantzschia pseudomarina</i> Hustedt in A. Schmidt <i>et al.</i> , 1922)		
68		
<b>Hantzschia spectabilis</b> (Ehrenberg) Hustedt		<b>MASTOGLOIA</b> Thwaites, 1856
(Syn.: <i>Nitzschia spectabilis</i> (Ehrenberg) Ralfs; <i>Nitzschia brebissonii</i> W. Smith)		
1, 20, 24, 26, 27, 30, 31, 34		<b>Mastogloia angulata</b> Lewis
		68
<b>Hantzschia virgata</b> (Roper) Grunow in Cleve & Grunow, 1880 v. <b>capitellata</b> Hustedt in A. Schmidt <i>et al.</i> , 1922		<b>Mastogloia aquilegiae</b> Grunow
68		26, 30, 34, 67, 68
<b>Hantzschia vivax</b> (W. Smith) M. Peragallo in Tempere & Peragallo, 1908		<b>Mastogloia baltica</b> Grunow in V. Heurck, 1888
(Syn.: <i>Nitzschia vivax</i> W. Smith)		67, 68
68		
<b>HYALODISCUS</b> Ehrenberg, 1845		<b>Mastogloia braunii</b> Grunow
		26, 30, 37, 44, 67, 68
<b>Hyalodiscus whitneyi</b> Ehrenberg		
68		<b>Mastogloia crucicula</b> (Grunow) Cleve
		68
<b>LICMOPHORA</b> Agardh, 1827		
<b>Licmophora abbreviata</b> Agardh		<b>Mastogloia desertorum</b> Voigt
(Syn.: <i>Licmophora lyngbyei</i> (Kützing) Grunow)		68
68		
<b>Licmophora debilis</b> (Kützing) Grunow in V. Heurck, 1881		<b>Mastogloia elliptica</b> (Agardh) Cleve ex. A. Schmidt, 1893
68		34, 37, 68
<b>Licmophora flabellata</b> (Greville) Agardh		
68		<b>Mastogloia elliptica</b> v. <b>dansei</b> (Thwaites) Cleve
		21, 68
<b>Licmophora gigantea</b> Mereschkowsky		
68		<b>Mastogloia ignorata</b> Hustedt
		68
<b>Licmophora hyalina</b> (Kützing) Grunow		
68		<b>Mastogloia ovalis</b> A. Schmidt
		68
<b>Licmophora nubecula</b> (Kützing) Grunow in Schneider, 1878		
68		<b>Mastogloia ovulum</b> Hustedt
		68
		<b>Mastogloia paradoxa</b> Grunow
		68
		<b>Mastogloia pisciculus</b> Cleve
		68
		<b>Mastogloia pumila</b> (Cleve & Möller) Cleve
		67, 68
		<b>Mastogloia pusilla</b> Grunow
		67, 68

- Mastogloia pusilla** v. *linearis* Oestrup  
67, 68
- Mastogloia recta** Hustedt  
68
- Mastogloia robusta** Hustedt  
68
- Mastogloia schmidtii** Heid.  
67, 68
- Mastogloia smithii** Thwaites ex W. Smith,  
1856  
19, 24, 30, 31, 37, 64, 67, 68
- Mastogloia smithii** v. *amphicephala* Grunow in V. Heurck, 1880  
21, 31, 58, 68
- Mastogloia smithii** v. *lacustris* Grunow  
20, 21, 27, 31, 34, 64, 68
- Mastogloia varians** Hustedt  
68
- MELOSIRA** Agardh, 1827, nom. cons.
- Melosira dubia** Kützing  
9, 68
- Melosira lineata** (Dillwyn) Agardh  
(Syn.: *Melosira juergensii* Agardh)  
68
- Melosira moniliformis** (O.F. Müller)  
Agardh  
27, 30, 34
- Melosira nummulooides** (Dillwyn) Agardh  
62, 68
- Melosira roeseana** Rabenhorst  
10, 22, 28
- Melosira roeseana** v. *epidendron* Grunow  
22, 31
- Melosira varians** Agardh  
1, 2, 4, 15, 16, 19, 20, 21, 22, 27, 30, 31,  
32, 34, 36, 38, 50, 51, 52, 57, 59, 61, 62, 63,  
68, 69
- MERIDION** Agardh, 1824
- Meridion circulare** (Greville) C.A. Agardh  
4, 7, 10, 11, 19, 22, 28, 30, 31, 32, 34, 40,  
54, 55, 56, 57, 59, 61, 69, 70
- Meridion circulare** v. *constrictum* (Ralfs)  
V. Heurck  
22, 28, 31, 32
- NAVICULA** Bory, 1822
- Navicula accomoda** Hustedt  
57, 59, 61, 68, 69
- Navicula ammophila** Grunow v. *intermedia* Grunow  
50
- Navicula angusta** Grunow  
(Syn.: *Navicula lobeliae* Joergensen)  
28
- Navicula antiqua** Grunow  
51
- Navicula arenaria** Donkin  
68
- Navicula armata** Carter  
10
- Navicula armoricana** Amossé  
(Syn.: *Navicula barbari* Hendey)  
68
- Navicula arvensiformis** Carter  
10
- Navicula arvensis** Hustedt  
68, 69
- Navicula asellus** Weinhold ex Hustedt  
64
- Navicula atomus** (Kützing) Grunow  
18, 22, 31, 57, 59, 69
- Navicula atomus** v. *excelsa* (Krasske) Lange-Bertalot  
64
- Navicula atomus** v. *permritis* (Hustedt)  
Lange-Bertalot  
(Syn.: *Navicula permritis* Hustedt)  
57, 61, 68, 69
- Navicula bacillum** Ehrenberg  
68, 69
- Navicula bahusiensis** (Grunow) Grunow  
68

<b>Navicula brockmannii</b> Hustedt	(Hilse) Grunow in V. Heurck, 1880
64	1, 62, 64, 68, 69
<b>Navicula bryophila</b> Petersen v. <b>lapponica</b> Hustedt	<b>Navicula contenta</b> Grunow in V. Heurck, 1885
10	10, 28, 57, 62, 64, 68
<b>Navicula bulnheimii</b> Grunow in V. Heurck, 1880	<b>Navicula contenta</b> f. <b>biceps</b> (Grunow) Hustedt
68	18, 22, 31, 43, 57, 68
<b>Navicula cancellata</b> Donkin	<b>Navicula crucicula</b> (W. Smith) Donkin v. <b>cruciuloides</b> (Brockmann) Lange-Bertalot
49, 50, 51	(Syn.: <i>Navicula cruciculoides</i> Brockmann)
<b>Navicula cancellata</b> v. <b>subapiculata</b> Grunow	68
68	<b>Navicula cryptocephala</b> Kützing (Syn.: <i>Navicula cryptocephala</i> v. <i>exilis</i> (Kützing) Grunow)
<b>Navicula capitata</b> Ehrenberg (Syn.: <i>Navicula hungarica</i> & v. <i>capitata</i> (Ehrenberg) Cleve)	2, 4, 7, 8, 9, 10, 11, 14, 18, 19, 20, 21, 22, 25, 26, 27, 28, 30, 31, 32, 34, 36, 47, 50, 51, 52, 55, 56, 57, 58, 59, 61, 62, 64, 65, 68, 69
31, 57, 59, 62, 64, 68	<b>Navicula cryptotenella</b> Lange-Bertalot (Syn.: <i>Navicula radiosa</i> v. <i>tenella</i> (Brébisson) V. Heurck)
<b>Navicula capitata</b> Ehrenberg v. <b>hungarica</b> (Grunow) Ross (Syn.: <i>Navicula hungarica</i> v. <i>linearis</i> Oestrup)	21, 57, 58, 62, 64, 68, 69
68	<b>Navicula cuspidata</b> (Kützing) Kützing (Syn.: <i>Navicula cuspidata</i> v. <i>ambigua</i> (Ehrenberg) Cleve)
<b>Navicula capitoradiata</b> Germain (Syn.: <i>Navicula salinarum</i> Grunow v. <i>intermedia</i> Grunow; <i>Navicula cryptocephala</i> Kützing v. <i>intermedia</i> Grunow)	2, 19, 20, 26, 27, 30, 31, 34, 37, 47, 57, 58, 59, 61, 68, 69
54, 55, 57, 59, 61, 68, 69	<b>Navicula cuspidata</b> v. <b>media</b> Meister
<b>Navicula cari</b> Ehrenberg (Syn.: <i>Navicula cincta</i> (Ehrenberg) Kützing v. <i>cari</i> (Ehrenberg) Cleve)	21, 22, 30, 34
10, 29, 57, 61, 64, 68, 69	<b>Navicula decussis</b> Oestrup
<b>Navicula cincta</b> (Ehrenberg) Ralfs (Syn.: <i>Navicula cari</i> Ehrenberg v. <i>cincta</i> (Ehrenberg) Lange-Bertalot p.p.)	57, 59, 61, 68
4, 19, 20, 27, 30, 31, 36, 57, 59, 61, 62, 64, 68	<b>Navicula delicatula</b> Cleve
<b>Navicula clamans</b> Hustedt	68
68	<b>Navicula detenta</b> Hustedt
<b>Navicula clementis</b> Grunow	10
68	<b>Navicula difficillimoides</b> Hustedt
<b>Navicula cocconeiformis</b> Gregory ex Greenville, 1855	10
10, 57	<b>Navicula digitoradiata</b> (Gregory) Ralfs in Pritchard, 1861
<b>Navicula cohnii</b> (Hilse) Lange-Bertalot (Syn.: <i>Navicula mutica</i> Kützing v. <i>cohnii</i>	27, 30, 37, 68
	<b>Navicula digitulus</b> Hustedt
	64

- Navicula dilucida** Hustedt  
68
- Navicula disjuncta** Hustedt  
10
- Navicula elginensis** (Gregory) Ralfs  
(Syn.: *Navicula anglica* Ralfs in Pritchard, 1861 & *v. minuta* Cleve; *Navicula dicephala* (Ehrenberg) W. Smith & *v. neglecta* (Krasske) Hustedt; *Navicula neglecta* Krasske)  
1, 10, 19, 25, 26, 27, 28, 31, 33, 50
- Navicula exigua** (Gregory) Grunow  
29, 31, 33, 47
- Navicula festiva** Krasske  
10
- Navicula fluens** Hustedt  
10
- Navicula forcipata** Greville  
7, 49, 68
- Navicula gallica** (W. Smith) Lagerstedt  
64
- Navicula gallica** (W. Smith) Lagerst. v. **perpusilla** (Grunow) Lange-Bertalot  
(Syn.: *Navicula perpusilla* (Kützing) Grunow)  
10, 31, 34, 62, 64
- Navicula gastrum** (Ehrenberg) Kützing  
31, 34
- Navicula gibbula** Cleve  
57, 61, 62, 64, 68
- Navicula goeppertia** (Bleisch) H. L. Smith  
(Syn.: *Navicula mutica* Kützing v. *goeppertia* Grunow)  
50, 51, 52, 57, 59, 61, 62, 64, 69
- Navicula gottlandica** Grunow in V. Heurck, 1880  
33
- Navicula graciloides** A. Mayer  
18, 43, 59, 61, 65, 68, 69
- Navicula gregaria** Donkin  
10, 57, 6, 61, 62, 68, 69
- Navicula halophila** (Grunow) Cleve  
emend. Krammer & Lange-Bertalot
- (Syn.: *Navicula halophila* f. *robusta* Hustedt; *Navicula halophila* f. *subcapitata* Oestlund; *Navicula buderii* Hustedt)  
10, 19, 20, 24, 26, 27, 30, 34, 50, 51, 52, 59, 61, 62, 64, 68
- Navicula hambergii** Hustedt  
64
- Navicula hedini** Hustedt  
68
- Navicula heimansii** Van Dam & Kooyman  
57
- Navicula hennedyi** W. Smith  
49, 68
- Navicula humerosa** Brébisson ex W. Smith, 1856  
30, 33, 68
- Navicula hustedtii** Krasske  
10, 68
- Navicula hyalosirella** Hustedt  
68
- Navicula ignota** Krasske  
64
- Navicula insociabilis** Krasske  
(Syn.: *Navicula fritschii* Lund)  
50, 52, 68
- Navicula jaernefeltii** Hustedt  
10
- Navicula joubaudii** Germain  
(Syn.: *Navicula seminulum* v. *radiosa* Hustedt)  
10, 57, 68
- Navicula kotschy** Grunow  
(Syn.: *Navicula grimmei* Krasske)  
28, 30, 31, 34, 57, 61, 68
- Navicula laevissima** Kützing  
(Syn.: *Navicula bacilliformis* Grunow; *Navicula wittrockii* (Lagerheim) Temp. & Peralgo)  
10, 28, 30, 68
- Navicula lanceolata** (Agardh) Ehrenberg  
*non sensu* Kützing  
11, 19, 22, 25, 26, 27, 28, 30, 31, 32, 34, 36, 37, 40, 50, 51, 57, 59, 61, 68, 69

<b>Navicula lange-bertalotii</b> Reichardt		<b>Navicula modica</b> Hustedt
64		52
<b>Navicula longicephala</b> Hustedt		<b>Navicula mollis</b> (W. Smith) Cleve
62		68
<b>Navicula longicephala</b> v. <b>vilaplanii</b> Lange-Bertalot & Sabater		<b>Navicula monoculata</b> Hustedt
62		58, 62
<b>Navicula lundstroemii</b> Cleve v. <b>proctata</b> (Grunow) Kolbe		<b>Navicula monoculata</b> v. <b>omissa</b> (Hustedt) Lange-Bertalot (Syn.: <i>Navicula omissa</i> Hustedt)
30		10
<b>Navicula lyra</b> Ehrenberg		<b>Navicula mucicola</b> Hustedt
68		10
<b>Navicula marina</b> Ralfs in Pritchard, 1861 (Syn.: <i>Navicula punctulata</i> W. Smith non <i>Navicula punctulata</i> Ehrenberg)		<b>Navicula mutabilis</b> Tomàs
68		68
<b>Navicula medioconvexa</b> Hustedt		<b>Navicula mutica</b> Kützing
10		22, 30, 32, 43, 50, 57, 62, 64, 68
<b>Navicula mediocris</b> Krasske		<b>Navicula mutica</b> v. <b>binodis</b> Hustedt
64		31
<b>Navicula menisculus</b> Schumann (Syn.: <i>Navicula peregrina</i> (Ehrenberg) Kützing v. <i>menisculus</i> (Schumann) V. Heurck)		<b>Navicula naumannii</b> Hustedt
19, 22, 28, 30, 31, 32, 34, 57, 61, 68		64
<b>Navicula menisculus</b> v. <b>upsaliensis</b> Grunow in Cleve & Grunow, 1880		<b>Navicula neoventricosa</b> Hustedt (Syn.: <i>Navicula mutica</i> Kützing v. <i>ventricosa</i> (Kützing) Cleve & Grunow)
57, 61		8, 27, 31, 68
<b>Navicula minima</b> Grunow in V. Heurck, 1880 (Syn.: <i>Navicula minima</i> Grunow v. <i>atomoides</i> (Grunow) Cleve; <i>Navicula tantula</i> Hustedt; <i>Navicula atomoides</i> Grunow in V. Heurck p.p.)		<b>Navicula nivalis</b> Ehrenberg (Syn.: <i>Navicula mutica</i> Kützing v. <i>nivalis</i> Hustedt)
1, 10, 18, 26, 27, 30, 32, 43, 51, 57, 59, 61, 62, 64, 68, 69		26, 27, 30, 31, 34, 64
<b>Navicula minuscula</b> Grunow in V. Heurck, 1880		<b>Navicula normaloides</b> Cholnoky
9, 30, 51, 57, 59, 68		68
<b>Navicula minuscula</b> v. <b>muralis</b> (Grunow) Lange-Bertalot (Syn.: <i>Navicula muralis</i> Grunow in V. Heurck, 1880 p.p.)		<b>Navicula oblonga</b> (Kützing) Kützing
57		20, 24, 26, 27, 30, 31, 34, 37, 52, 68
<b>Navicula ordinaria</b> Hustedt (Syn.: <i>Navicula tenuipunctata</i> Hustedt)		<b>Navicula omissa</b> Hustedt (Syn.: <i>Navicula monoculata</i> Hustedt v. <i>omissa</i> (Hustedt) Lange-Bertalot p.p.)
68		10
<b>Navicula palpebralis</b> Brébisson ex W. Smith, 1853		
68		

<b>Navicula paramutica</b> Bockmann		<b>Navicula pseudobryophila</b> Hustedt
62		10
<b>Navicula paucivistriata</b> Patrick		<b>Navicula pseudoincerta</b> Giffen
68		68
<b>Navicula pavillardii</b> Hustedt		<b>Navicula pseudolanceolata</b> Lange-Bertalot
68		68
<b>Navicula pelliculosa</b> (Brébisson ex Kützing) Hilse in Rabenhorst, 1862		<b>Navicula pseudolitoricola</b> Håkansson
10, 19, 28, 30, 31, 32, 34, 57, 59, 61, 62, 68,		68
69		
<b>Navicula pennata</b> A. Schmidt		<b>Navicula pseudoscutiformis</b> Hustedt
49, 68		10
<b>Navicula peregrina</b> (Ehrenberg) Kützing		<b>Navicula pseudotuscula</b> Hustedt
30, 31, 33, 34, 62, 68		57
<b>Navicula perhyalina</b> Cleve		<b>Navicula pupula</b> Kützing
10		10, 22, 25, 26, 27, 28, 29, 32, 34, 52, 57, 59,
<b>Navicula perparva</b> Hustedt		61, 62, 64, 68, 69
68		
<b>Navicula phyllepta</b> Kützing (Syn.: <i>Navicula minuscula</i> Grunow v. <i>istriana</i> Grunow; <i>Navicula lanceolata</i> (Agardh) Ehrenberg v. <i>phyllepta</i> (Kützing) V. Heurck)		<b>Navicula pupula v. bacillarioides</b> Gregory
50, 51, 57, 59, 61, 65, 68, 69		31
<b>Navicula placentula</b> (Erh.) Kützing f. <i>lanceolata</i> Grunow		<b>Navicula pupula v. capitata</b> Skovortzow & A. Meyer
21		57, 68
<b>Navicula placentula</b> f. <i>rostrata</i> (A. Mayer) Hustedt		<b>Navicula pupula f. rostrata</b> Hustedt
68		68
<b>Navicula praeterita</b> Hustedt		<b>Navicula pupula</b> Kützing v. <i>nyassensis</i> (O. Müller) Lange-Bertalot p.p.
64		(Syn.: <i>Navicula nyassensis</i> O. Müller)
<b>Navicula protracta</b> (Grunow) Cleve		57
62, 68		
<b>Navicula protracta</b> f. <i>elliptica</i> (Gallik) Hustedt		<b>Navicula pusilla</b> W. Smith
68		4, 31, 62, 68
<b>Navicula protracta</b> f. <i>subcapitata</i> (Wils. & Por.) Hustedt		<b>Navicula pusilla</b> v. <i>lundstroemii</i> (Cleve) Lange-Bertalot
68		(Syn.: <i>Navicula lundstroemii</i> Cleve in Cleve & Grunow, 1880)
<b>Navicula pseudoarvensis</b> Hustedt		30
10		<b>Navicula pusilla</b> v. <i>incognita</i> (Krasske) Lange-Bertalot
		62
		<b>Navicula pusio</b> Cleve
		10
		<b>Navicula pygmaea</b> Kützing
		8, 10, 11, 50, 51, 52, 57, 58, 59, 62, 64, 68,
		69

<b>Navicula radiososa</b> Kützing 4, 10, 19, 20, 21, 22, 25, 26, 27, 28, 30, 31, 32, 34, 35, 36, 37, 40, 50, 52, 57, 58, 59, 61, 64, 68, 69, 70	<b>Navicula schoenfeldii</b> Hustedt 68
<b>Navicula ramosissima</b> (Agardh) Cleve 68	<b>Navicula schroeterii</b> Meister (Syn.: <i>Navicula symmetrica</i> Patrick) 57, 59, 68, 69
<b>Navicula recens</b> (Lange-Bertalot) Lange- Bertalot (Syn.: <i>Navicula cari</i> v. <i>recens</i> Lange- Bertalot) 59, 64, 68, 69	<b>Navicula secura</b> Patrick 68
<b>Navicula rhynchocephala</b> Kützing 10, 19, 21, 22, 26, 27, 30, 31, 34, 50, 64, 68	<b>Navicula seminuloides</b> Hustedt 68
<b>Navicula rhynchocephala</b> v. <b>amphiceros</b> (Kützing) Grunow in Cleve & Grunow, 1880 58, 68	<b>Navicula seminulum</b> Grunow 10, 27, 57, 59, 61, 62, 64, 68, 69
<b>Navicula rhynchocephala</b> v. <b>brevis</b> Gru- now 31	<b>Navicula severascens</b> Cholnoky 68
<b>Navicula rotesta</b> Carter 10	<b>Navicula schadei</b> Krasske (Syn.: <i>Navicula globosa</i> Meister) 68
<b>Navicula rotunda</b> Hustedt 68	<b>Navicula slesvicensis</b> Grunow in V. Heurck, 1880 68
<b>Navicula salinarum</b> Grunow in Cleve & Grunow, 1880 19, 20, 24, 30, 31, 34, 62, 68	<b>Navicula soehrensis</b> Krasske v. <b>muscicola</b> (Petersen) Krasske 10
<b>Navicula salinarum</b> f. <b>capitata</b> Schultz 62, 68	<b>Navicula soodenensis</b> Krasske (Syn.: <i>Stauroneis laglerii</i> Hustedt) 68
<b>Navicula salinarum</b> f. <b>minima</b> Kolbe 68	<b>Navicula spicula</b> (Hickie) Cleve (Syn.: <i>Stauroneis spicula</i> Hickie) 68
<b>Navicula salinicola</b> Hustedt 68	<b>Navicula stroemii</b> Hustedt 64
<b>Navicula saprophila</b> Lange-Bertalot & Bo- nik (Syn.: <i>Navicula muralis</i> Grunow f. <i>minuta</i> Grunow in V. Heurck, 1880) 69	<b>Navicula subexilissima</b> Carter 10
<b>Navicula saxophila</b> Bock 68	<b>Navicula subhamulata</b> Grunow in V. Heurck, 1880 68
<b>Navicula schmassmannii</b> Hustedt 10, 64	<b>Navicula subminuscula</b> Manguin (Syn.: <i>Navicula frigalis</i> Hustedt; <i>Navicula</i> <i>demissa</i> Hustedt; <i>Navicula luzonensis</i> Hus- tedt) 57, 59, 61, 62, 68, 69

- Navicula subrhynchocephala** Hustedt *sensu* Germain  
62, 68
- Navicula subtilissima** Cleve  
10, 28, 29, 40, 52, 64, 68
- Navicula subvasta** Hustedt  
10
- Navicula suchlandtii** Hustedt  
64
- Navicula tenelloides** Hustedt  
64
- Navicula tenera** Hustedt  
(Syn.: *Navicula dissipata* Hustedt; *Navicula auriculata* Hustedt; *Navicula insociabilis* Krasske v. *dissipatoides* Hustedt)  
68
- Navicula towutiensis** Cholnoky  
68
- Navicula tridentula** Krasske  
62
- Navicula tripunctata** (O.F. Müller) Bory  
(Syn.: *Navicula gracilis* Ehrenberg; *Navicula gracilis* v. *neglecta* (Thwaites) Grunow)  
19, 20, 26, 27, 29, 30, 31, 32, 34, 40, 50, 51,  
54, 56, 57, 59, 64, 68, 69, 70
- Navicula trivialis** Lange-Bertalot  
(Syn.: *Navicula lanceolata* *sensu* Kützing,  
*sensu* Grunow, *non sensu* Hustedt)  
57, 58, 59, 68, 69
- Navicula tuscula** Ehrenberg  
27
- Navicula vanheurckii** Patrick in Patrick &  
Reimer, 1966  
(Syn.: *Navicula rotaeana* (Rabenhorst)  
Grunow)  
10, 28, 32, 36
- Navicula variostriata** Krasske  
10
- Navicula veneta** Kützing *sensu* Krammer  
& Lange-Bertalot  
(Syn.: *Navicula cryptocephala* v. *veneta*  
(Kützing) Rabenhorst)  
10, 50, 57, 58, 62, 68, 69
- Navicula ventralis** Krasske  
10
- Navicula viridula** (Kützing) Ehrenberg  
7, 10, 11, 27, 29, 30, 31, 32, 37, 51, 52, 61,  
68, 69, 70
- Navicula viridula** v. **rostellata** Cleve  
(Syn.: *Navicula rostellata* Kützing; *Navicula rhynchocephala* Kützing v. *rostellata*  
(Kützing) Cleve & Grunow)  
29, 31, 50, 57, 59, 61, 68, 69
- Navicula visitanda** Carter  
10
- Navicula vitabunda** Hustedt  
68
- Navicula vulpina** Kützing  
21, 22, 26, 27, 28, 30, 31, 34, 55
- NEIDIUM** Pfitzer, 1871
- Neidium affine** (Ehrenberg) Pfitzer  
(Syn.: *Neidium affine* v. *amphirhynchus*  
(Ehrenberg) Cleve)  
10, 11, 32, 36, 53, 62, 68, 70
- Neidium affine** v. **media** Cleve  
22
- Neidium affine** f. **minor** Cleve  
22
- Neidium alpinum** Hustedt  
10
- Neidium ampliatum** (Ehrenberg) Krammer  
(Syn.: *Neidium iridis* v. *ampliatum* (Ehrenberg)  
Cleve; *Neidium iridis* v. *vernalis* Reichenb.)  
20, 57, 68
- Neidium binodis** (Ehrenberg) Hustedt  
(Syn.: *Navicula binodis* Ehrenberg)  
1, 19, 30, 31, 34, 64
- Neidium bisulcatum** (Lagerst.) Cleve  
10, 64
- Neidium dubium** (Ehrenberg) Cleve  
30, 31, 34, 54, 55, 57, 58, 64, 68
- Neidium dubium** v. **constricta** Hustedt  
55, 57

- Neidium hercynicum** A. Mayer  
64
- Neidium iridis** (Ehrenberg) Cleve  
(Syn.: *Neidium iridis* v. *amphigomphus*  
(Ehrenberg) A. Mayer)  
10, 22, 28, 29, 30, 31, 57, 68
- Neidium lineare** Oestrup  
10
- Neidium productum** (W. Smith) Cleve  
27, 31
- NITZSCHIA** Hassall, 1845
- Nitzschia acicularis** (Kützing) W. Smith  
10, 13, 14, 19, 20, 22, 26, 27, 28, 29, 30, 31,  
34, 47, 48, 51, 52, 62, 68, 69
- Nitzschia acuminata** (W. Smith) Grunow  
68
- Nitzschia acula** Hantzsh in Rabenhorst,  
1862  
54, 55
- Nitzschia agnita** Hustedt  
10
- Nitzschia alpina** Hustedt  
64
- Nitzschia amphibia** Grunow  
19, 30, 31, 50, 51, 52, 57, 59, 62, 64, 68, 69
- Nitzschia amplexens** Hustedt  
68
- Nitzschia angustata** (W. Smith) Grunow in  
Cleve & Grunow, 1880  
57, 64, 68, 69
- Nitzschia angustata** v. **acuta** Grunow  
10, 68
- Nitzschia angustatula** Lange-Bertalot  
64
- Nitzschia archibaldii** Lange-Bertalot  
62, 64
- Nitzschia aurariae** Cholnoky  
(Syn.: *Nitzschia alexandrina* (Cholnoky)  
Lange-Bertalot & Simonsen; *Nitzschia elliptica* Hustedt v. *alexandrina* Cholnoky)  
57, 68
- Nitzschia brevissima** Grunow in V.  
Heurck, 1881  
(Syn.: *Nitzschia parvula* Levis)  
68
- Nitzschia circumsuta** (Bailey) Grunow  
30, 68
- Nitzschia clausii** Hantzsch  
19, 30, 31, 50, 51
- Nitzschia closterium** (Ehrenberg) W.  
Smith  
(Syn.: *Nitzschia longissima* (Brébisson)  
Ralfs v. *closterium* (Ehrenberg) V. Heurck)  
9, 20, 26, 27, 30, 31, 34, 57, 68
- Nitzschia coarctata** Grunow in Cleve &  
Möller, 1878  
(Syn.: *Nitzschia punctata* v. *coarctata*  
(Grunow) Hustedt)  
68
- Nitzschia communis** Rabenhorst  
6, 50, 21, 27, 30, 57, 51, 68
- Nitzschia commutata** Grunow in Cleve &  
Grunow, 1880  
57
- Nitzschia compressa** (Bailey) Boyer v.  
**compressa**  
(Syn.: *Nitzschia punctata* (W. Smith) Gru-  
now)  
7, 9, 19, 27, 30, 34, 68
- Nitzschia compressa** v. **balatonis** (Gru-  
now) Lange-Bertalot  
(Syn.: *Nitzschia balatonis* Grunow)  
68
- Nitzschia constricta** (Kützing) Ralfs in Prit-  
chard, 1861  
(Syn.: *Nitzschia apiculata* (Gregory) Gru-  
now)  
9, 19, 20, 26, 27, 30, 31, 57, 58, 59, 68, 69
- Nitzschia debilis** (Arnott) Grunow in Cleve  
& Grunow  
(Syn.: *Nitzschia tryblionella* v. *debilis* (Ar-  
nott) A. Mayer)  
57, 58, 68
- Nitzschia delicatissima** Cleve  
13, 50
- Nitzschia dissipata** (Kützing) Grunow

- 8, 10, 19, 20, 30, 31, 32, 50, 51, 52, 54, 55, 56, 57, 58, 59, 62, 68, 69
- Nitzschia dissipata** v. **media** (Hantzsch) Grunow  
62
- Nitzschia dubia** W. Smith  
51, 57, 68, 69
- Nitzschia elegantula** Grunow in V. Heurck, 1881  
(Syn.: *Nitzschia microcephala* Grunow v. *elegantula* V. Heurck; *Nitzschia jugiformis* Hustedt)  
68
- Nitzschia elliptica** Hustedt  
64, 68
- Nitzschia epithemoides** Grunow in Cleve & Grunow, 1880  
64, 68
- Nitzschia fasciculata** (Grunow) Grunow in V. Heurck, 1881  
33
- Nitzschia filiformis** (W. Smith) V. Heurck  
18, 62, 68, 69
- Nitzschia fonticola** Grunow in Cleve & Möller, 1879  
(Syn.: *Nitzschia romana* (Grunow) Grunow in V. Heurck, 1881)  
10, 50, 57, 58, 59, 62, 64, 68, 69
- Nitzschia franconica** Reinsch  
22
- Nitzschia frustulum** (Kützing) Grunow in Cleve & Grunow, 1880  
(Syn.: *Nitzschia inconspicua* Grunow; *Nitzschia frustulum* (Kützing) Grunow v. *perminuta* Grunow; *Nitzschia frustulum* (Kützing) Grunow v. *perminuta* Grunow f. *curta* Grunow)  
10, 19, 21, 30, 36, 57, 58, 59, 62, 64, 68, 69
- Nitzschia fruticosa** Hustedt  
50, 51
- Nitzschia gandersheimiensis** Krasske  
57, 59, 62, 69
- Nitzschia gessneri** Hustedt  
64
- Nitzschia gracilis** Hantzsch  
3, 10, 13, 19, 22, 27, 28, 30, 31, 34, 50, 51, 52, 54, 55, 57, 58, 59, 62, 68
- Nitzschia granulata** Grunow in Cleve & Möller, 1879  
68
- Nitzschia hantzschiana** Rabenhorst  
(Syn.: *Nitzschia frustulum* (Kützing) Grunow v. *hantzschiana* (Rabenhorst) Grunow)  
10, 19, 22, 26, 28, 31, 32, 34, 50, 52, 57, 69
- Nitzschia hungarica** Grunow  
(Syn.: *Nitzschia hungarica* v. *linearis* Grunow)  
3, 10, 19, 20, 27, 30, 31, 34, 52, 57, 58 59, 68, 69
- Nitzschia hybrida** Grunow in Cleve & Grunow, 1880  
19, 68
- Nitzschia intermedia** Hantzsch ex Cleve & Grunow, 1880  
41, 65, 68
- Nitzschia lacuum** Lange-Bertalot  
62, 64
- Nitzschia lanceolata** W. Smith  
68
- Nitzschia lanceolata** v. **minor** Grunow in V. Heurck, 1881  
68
- Nitzschia lesbia** Cholnoky  
68
- Nitzschia levidensis** (W. Smith) Grunow in V. Heurck, 1881  
(Syn.: *Nitzschia tryblionella* v. *levidensis* (W. Smith) Grunow in Cleve & Grunow, 1880)  
57, 68
- Nitzschia linearis** (Agardh) W. Smith  
3, 4, 19, 21, 22, 25, 26, 27, 28, 31, 32, 34, 36, 38, 40, 54, 55, 56, 57, 58, 59, 64, 68, 69
- Nitzschia littoralis** Grunow in Cleve & Grunow, 1880  
50
- Nitzschia longissima** (Brébisson ex Kützing) Grunow  
41, 50, 51, 65

- Nitzschia lorenziana** Grunow in Cleve & Grunow, 1880  
 (Syn.: *Nitzschia lorenziana* v. *subtilis* Grunow)  
 31, 34, 38, 68
- Nitzschia microcephala** Grunow in Cleve & Möller, 1878  
 10, 34, 57, 62, 68, 69
- Nitzschia nana** Grunow in V. Heurck 1881  
 (Syn.: *Nitzschia ignorata* Krasske)  
 33, 34, 50, 51, 70
- Nitzschia navicularis** (Brébisson) Grunow in Cleve & Grunow, 1880  
 62, 68
- Nitzschia obtusa** W. Smith  
 50, 54, 55, 68
- Nitzschia ovalis** Arnott  
 31
- Nitzschia palea** (Kützing) W. Smith  
 1, 10, 13, 14, 21, 22, 25, 26, 27, 30, 31, 32, 34, 36, 37, 47, 41, 50, 52, 53, 54, 55, 56, 57, 58, 59, 64, 65, 68, 69
- Nitzschia palea** v. **debilis** (Kützing) Grunow in Cleve & Grunow, 1880  
 51, 57, 62, 68, 69
- Nitzschia palea** v. **tenuirostris** Grunow in V. Heurck, 1881  
 41, 57, 65, 68, 69
- Nitzschia paleacea** (Grunow) Grunow in V. Heurck, 1881  
 (Syn.: *Nitzschia subtilis* Grunow v. *paleacea* Grunow in Cleve & Grunow, 1880)  
 13, 19, 30, 31, 34, 50, 51, 57, 58, 68, 69
- Nitzschia perindistincta** Cholnoky  
 68
- Nitzschia perminuta** (Grunow) M. Peragallo  
 (Syn.: *Nitzschia minitula* Grunow in V. Heurck, 1881)  
 10, 50
- Nitzschia pseudofonticola** Hustedt  
 62
- Nitzschia pusilla** (Kütz.) Grunow emend. Lange-Bertalot, 1976
- (Syn.: *Nitzschia kuetzingiana* Hilse; *Nitzschia kuetzingiana* Hilse v. *exilis* Grunow)  
 9, 10, 19, 30, 31, 50, 51, 52, 57, 58, 59, 68, 69
- Nitzschia quadrangula** (Kützing) Lange-Bertalot  
 68
- Nitzschia recta** Hantzsch in Rabenhorst, 1861-1879  
 10, 21, 31, 68, 69
- Nitzschia rosenstockii** Lange-Bertalot  
 68
- Nitzschia scalaris** (Ehrenberg) W. Smith  
 68
- Nitzschia scalpelliformis** (Grunow) Grunow  
 (Syn.: *Nitzschia obtusa* var. *scalpelliformis* Grunow in Cleve & Möller, 1879)  
 62, 68
- Nitzschia serpenticula** Cholnoky  
 68
- Nitzschia sigma** (Kützing) W. Smith  
 20, 26, 30, 37, 50, 51, 57, 62, 68
- Nitzschia sigma** v. **rigida** (Kützing) Grunow in V. Heurck, 1881  
 (Syn.: *Nitzschia rigida* Grunow)  
 30, 68
- Nitzschia sigma** v. **rigidula** Grunow in V. Heurck, 1881  
 (Syn.: *Nitzschia rigida* Grunow v. *rigidula* Grunow)  
 19, 20, 27, 30, 31, 68
- Nitzschia sigmoidea** (Nitzsch) W. Smith  
 3, 15, 16, 19, 20, 21, 25, 26, 30, 31, 34, 37, 38, 57, 58, 68, 69
- Nitzschia sinuata** (Thwaites) Grunow in Cleve & Grunow, 1880  
 10, 30, 31, 34, 57, 59, 64, 69
- Nitzschia sinuata** v. **delegnei** (Grunow) Lange-Bertalot  
 (Syn.: *Nitzschia denticula* Grunow v. *delegnei* Grunow)  
 57, 59, 62, 64, 68
- Nitzschia sinuata** v. **tabellaria** (Grunow) Grunow in V. Heurck, 1881

- (Syn.: *Nitzschia tabellaria* (Grunow) Grunow in Cleve & Grunow, 1880)  
30, 33, 34, 57, 68
- Nitzschia sociabilis** Hustedt  
57
- Nitzschia sublinearis** Hustedt  
43
- Nitzschia subtilis** (Kützing) Grunow  
19, 20, 27
- Nitzschia suchlandtii** Hustedt  
62
- Nitzschia supralitorea** Lange-Bertalot  
62, 64, 68
- Nitzschia thermaloides** Hustedt  
57
- Nitzschia tropica** Hustedt  
62
- Nitzschia tryblionella** Hantzsch in Rabenhorst, 1860  
19, 20, 27, 31, 57, 68, 69
- Nitzschia tryblionella** v. **victoriae** (Grunow) Grunow in Cleve & Grunow, 1880  
68
- Nitzschia umbonata** (Ehrenberg) Lange-Bertalot  
(Syn.: *Nitzschia stagnorum* Rabenhorst;  
*Nitzschia thermalis* Grunow)  
5, 8, 19, 26, 27, 30, 31, 34, 50, 51, 57, 59, 68, 69
- Nitzschia vermicularis** (Kützing) Hantzsch in Rabenhorst, 1860  
19, 31, 68, 69, 70
- Nitzschia vidovichii** (Grunow) Peragallo  
68
- Nitzschia vitrea** Norman  
20, 27, 30, 31, 34, 37, 62, 68
- Nitzschia vitrea** v. **salinarum** Grunow  
(Syn.: *Nitzschia montanensis* Camburn)  
62
- PERONIA** Brébisson & Arnott, 1868
- Peronia fibula** (Brébisson) Ross  
64
- PINNULARIA** Ehrenberg, 1840
- Pinnularia appendiculata** (Agardh) Cleve  
(Syn.: *Pinnularia irròrata* (Grunow) Hustedt)  
10, 57, 62, 64, 68
- Pinnularia borealis** Ehrenberg  
10, 18, 19, 22, 27, 28, 32, 34, 43, 53, 62, 64
- Pinnularia cardinalis** (Ehrenberg) W. Smith  
7, 48
- Pinnularia clevei** Patrick  
(Syn.: *Pinnularia esox* Ehrenberg *sensu* Cleve)  
10, 19, 31
- Pinnularia dactylus** Ehrenberg  
22, 28
- Pinnularia divergens** W. Smith  
10, 22, 31, 32, 40, 62
- Pinnularia divergentissima** (Grunow) Cleve  
10
- Pinnularia finlandica** Cleve-Euler  
50
- Pinnularia gentilis** (Donkin) Cleve  
68
- Pinnularia gibba** Ehrenberg  
(Syn.: *Pinnularia abaujensis* (Pant.) Ross;  
*Pinnularia parva* (Ehrenberg) Gregory; *Pinnularia stauroptera* (Grunow) Rabenhorst)  
1, 3, 4, 10, 22, 28, 30, 32, 34, 40, 53, 62, 64, 68
- Pinnularia gibba** v. **mesogongyla** (Ehrenberg) Hustedt  
(Syn.: *Pinnularia mesogongyla* Ehrenberg)  
10, 31
- Pinnularia globiceps** Gregory  
32
- Pinnularia hemiptera** (Kützing) Cleve  
(Syn.: *Pinnularia acuminata* W. Smith;  
*Pinnularia debilis* (Pant.) Cleve-Euler)  
10, 22, 28, 31, 32, 64
- Pinnularia intermedia** (Lagerstedt) Cleve  
64

- Pinnularia interrupta** W. Smith  
 (Syn.: *Pinnularia biceps* Gregory; *Pinnularia mesolepta* (Ehrenberg) W. Smith)  
 10, 19, 22, 25, 28, 31, 32, 34, 53, 57, 70
- Pinnularia lata** (Brébisson) W. Smith v. **latestriata** (Gregory) Cleve  
 22, 28, 32
- Pinnularia legumen** Ehrenberg  
 10
- Pinnularia lundii** Hustedt  
 (Syn.: *Pinnularia interrupta* W. Smith v. *crassior* (Grunow) Cleve)  
 68
- Pinnularia maior** (Kützing) Rabenhorst  
 8, 10, 21, 22, 25, 28, 31, 32, 40, 57, 64, 68
- Pinnularia microstauron** (Ehrenberg) Cleve  
 10, 22, 28, 32, 34, 37, 53, 64
- Pinnularia microstauron** (Ehrenberg) Cleve v. **brebissonii** (Kützing) Mayer  
 (Syn.: *Pinnularia brebissonii* (Kützing) Rabenhorst)  
 10, 22, 27, 30, 31, 32, 57, 68
- Pinnularia microstauron** f. **biundulata** (O. Müller) Hustedt  
 32
- Pinnularia mormonorum** (Grunow) Patrick in Patrick & Reimer, 1966  
 (Syn.: *Pinnularia brebissonii* v. *linearis* O.F. Müller f. *curta* O.F. Müller)  
 19
- Pinnularia neglecta** (A. Mayer) Berg.  
 10
- Pinnularia nobilis** (Ehrenberg) Ehrenberg  
 (Syn.: *Navicula nobilis* Ehrenberg)  
 1, 7, 10, 22, 28
- Pinnularia nodosa** (Ehrenberg) W. Smith  
 (Syn.: *Pinnularia pseudogracillima* A. Mayer)  
 10, 22, 28
- Pinnularia obscura** Krasske  
 53, 64
- Pinnularia parva** v. **continua** A. Mayer  
 31
- Pinnularia pulchra** Oestrup  
 (Syn.: *Pinnularia mesolepta* v. *angusta* Cleve)  
 10, 28, 29, 31, 32
- Pinnularia semicruciatata** (Ehrenberg) A. Cleve  
 (Syn.: *Pinnularia viridis* v. *semicruciatata* (Grunow) Cleve)  
 22
- Pinnularia stauroptera** v. **clevei** Meister  
 19, 21, 22, 28, 34
- Pinnularia stauroptera** v. **interrupta** Cleve  
 19, 22, 28, 31, 32
- Pinnularia stomatophora** (Grunow) Cleve  
 10
- Pinnularia subcapitata** Gregory  
 (Syn.: *Pinnularia hilseana* Janisch)  
 10, 22, 31, 32, 34, 64
- Pinnularia subcapitata** v. **constricta** Hustedt  
 22, 28
- Pinnularia subcapitata** v. **hilseana** (Garrisch) Müller  
 64
- Pinnularia subsolaris** (Grunow) Cleve  
 29, 30, 31, 32, 34
- Pinnularia undulata** Gregory  
 29, 32, 40
- Pinnularia viridis** (Nitzsch) Ehrenberg  
 1, 4, 10, 11, 19, 21, 25, 27, 28, 32, 34, 40, 48, 52, 53, 57, 58, 62, 68
- Pinnularia viridis** v. **clevei** Meister  
 19, 22, 31
- Pinnularia viridis** v. **elliptica** Meister  
 19, 22, 28
- Pinnularia viridis** v. **sudetica** (Hilse) Hustedt  
 31

- PLAGIOTROPIS** Pfitzer, 1871
- Plagiotropis lepidoptera** (Cleve) Reimer  
(Syn.: *Amphiprora lepidoptera* Gregory; *Tropidoneis lepidoptera* (Gregory) Cleve) 68
- PLEUROSIGMA** W. Smith, 1852
- Pleurosigma angulatum** (Quek.) W. Smith 30, 68
- Pleurosigma angulatum v. aestuarii** (Brébisson) V. Heurck  
(Syn.: *Pleurosigma aestuarii* (Brébisson) Cleve) 68
- Pleurosigma delicatulum** W. Smith 68
- Pleurosigma elongatum** W. Smith 7, 26, 27, 30, 31, 34, 68
- Pleurosigma formosum** W. Smith 26, 27, 30, 31, 34
- Pleurosigma salinarum** (Grunow) Grunow in Cleve & Grunow, 1880 30, 31
- RHAPHONEIS** Ehrenberg, 1844
- Raphoneis surirella** (Ehrenberg) Grunow  
(Syn.: *Delphineis surirella* (Ehrenberg) G.W. Andrews) 68
- RHOICOSPHENIA** Grunow, 1860
- Rhoicosphenia abbreviata** (Agardh) Lange-Bertalot  
(Syn.: *Rhoicosphenia curvata* (Kützing) Grunow; *Gomphonema abbreviatum* Agardh; *Gomphonema curvatum* Kützing) 7, 11, 19, 20, 22, 26, 27, 29, 30, 31, 34, 36, 50, 51, 52, 54, 55, 56, 57, 59, 62, 66, 68, 69
- Rhoicosphenia marina** (W. Smith) M. Schmidt in A. Schmidt, 1889 50, 51, 52
- RHOPALODIA** O.F. Müller, 1895
- Rhopalodia constricta** (W. Smith) Krammer  
(Syn.: *Rhopalodia musculus* v. *constricta*
- (Brébisson) V. Heurck; *Rhopalodia gibberula* v. *constricta* (W. Smith) Karsten; *Epithemia constricta* W. Smith 19, 20, 26, 27, 30, 31, 34, 37
- Rhopalodia gibba** (Ehrenberg) O. Müller 1, 2, 19, 20, 21, 22, 25, 26, 27, 28, 30, 31, 34, 36, 37, 40, 54, 55, 57, 58, 62, 64, 68
- Rhopalodia gibba v. minuta** Krammer 64
- Rhopalodia gibba v. parallela** (Ehrenberg) Grunow  
(Syn.: *Rhopalodia parallela* (Grunow) O.F. Müller) 8, 10, 29, 31
- Rhopalodia gibba v. ventricosa** (Kützing) H. & M. Peragallo 4, 31, 68
- Rhopalodia gibberula** (Ehrenberg) O. Müller 10, 20, 22, 26, 28, 29, 30, 31, 34, 68
- Rhopalodia gibberula v. minuta** (Hantzsch) Rabenhorst 19, 21
- Rhopalodia musculus** (Kützing) O. Müller 68
- SCOLIOPLEURA** Grunow, 1860
- Scoliopleura peisonis** Grunow 68
- SKELETONEMA** Greville, 1865
- Skeletonema costatum** (Greville) Cleve 50, 51, 68
- Skeletonema potamos** (Weber) Hasle in Hasle & Evensen, 1976 63
- STAURONEIS** Ehrenberg, 1841
- Stauroneis acuta** W. Smith 22, 28, 31, 62
- Stauroneis amphioxys** Gregory  
(Syn.: *Stauroneis gregorii* Ralfs in Pritchard, 1861; *Stauroneis gregorii* v. *diminuta* Grunow; *Stauroneis salina* W. Smith v. *lagerstedtii* Cleve) 68

- Stauroneis amphoroides** Grunow 68
- Stauroneis anceps** Ehrenberg  
(Syn.: *Stauroneis anceps* v. *birostris* (Ehrenberg) Cleve)  
1, 4, 10, 22, 25, 28, 30, 31, 32, 34, 53, 68
- Stauroneis anceps** v. **hyalina** M. Peragallo & Brun in Héribaud, 1893  
19, 22, 28, 32
- Stauroneis kriegerii** Patrick  
(Syn.: *Stauroneis pygmaea* Krieger)  
10, 32
- Stauroneis legumen** (Ehrenberg) Kützing 1, 54, 55
- Stauroneis phoenicenteron** (Nitzsch) Ehrenberg  
(Syn.: *Stauroneis phoenicenteron* v. *amphilepta* (Ehrenberg) Cleve)  
1, 10, 19, 22, 25, 27, 28, 31, 32, 34, 54, 55, 58, 62, 64
- Stauroneis prominula** (Grunow) Hustedt 62
- Stauroneis pygmaea** Krieger 32
- Stauroneis salina** W. Smith 27, 30, 37
- Stauroneis smithii** Grunow 10, 19, 22, 27, 31, 57, 64, 68, 69
- Stauroneis wislouchii** Poretzky & Anisimowa 68
- STENOPTEROBIA** Brébisson, 1868
- Stenopterobia anceps** Brébisson 28, 33
- Stenopterobia curvula** (W. Smith) Kramer  
(Syn.: *Nitzschia curvula* (Ehrenberg) W. Smith; *Nitzschia sigma* v. *curvula* (Ehrenberg) Brun)  
19
- Stenopterobia delicatissima** (Lewis) Brébisson ex V. Heurck, 1896  
(Syn.: *Surirella delicatissima* Lewis)  
28
- STEPHANODISCUS** Ehrenberg, 1846
- Stephanodiscus hantzschii** Grunow in Cleve & Grunow, 1880  
13, 41, 57, 59, 65, 67
- Stephanodiscus hantzschii** f. **tenuis** (Hustedt) Nák. & Stoermer  
63, 64
- Stephanodiscus minutulus** (Kützing) Cleve & Möller  
(Syn.: *Stephanodiscus astraea* v. *minutula* (Kützing) Grunow)  
59, 63, 64, 68, 69
- Stephanodiscus neoastraea** Håkansson & Hickel  
(Syn.: *Stephanodiscus astraea* (Ehrenberg) Grunow in Cleve & Grunow, 1880)  
10, 22, 38, 57, 59, 63, 64, 68, 69
- Stephanodiscus parvus** Stoermer & Håkansson  
(Syn.: *Stephanodiscus hantzschii* Grunow f. *parva* Grunow ex Cleve & Möller)  
35, 63, 68
- Stephanodiscus rotula** (Kützing) Hendey 63, 155
- Stephanodiscus subsalsus** (Cleve) Hustedt 50, 51
- STRIATELLA** Agardh, 1832
- Striatella unipunctata** (Lyngbye) Agardh 68
- SURIRELLA** Turpin, 1828
- Surirella angusta** Kützing  
(Syn.: *Surirella ovalis* v. *angusta* (Kützing) V. Heurck)  
19, 22, 27, 28, 29, 30, 31, 32, 34, 36, 53, 59, 68, 69
- Surirella biseriata** Brébisson in Brébisson & Godey, 1836  
7, 12, 40, 64, 68
- Surirella biseriata** v. **subacuminata** Grunow  
22, 28
- Surirella biseriata** v. **vulgaris** Meister  
(Syn.: *Surirella biseriata* f. *minor* Grunow)  
21

- Surirella elegans** Ehrenberg  
12, 31, 70
- Surirella fastuosa** Ehrenberg  
68
- Surirella linearis** W. Smith  
10, 22, 28, 30, 31, 32, 34, 40, 55, 57, 59, 70,  
68, 69, 52
- Surirella linearis** v. **constricta** Grunow  
10, 32, 54, 55
- Surirella linearis** v. **elliptica** O.F. Müller  
19
- Surirella minuta** Brébisson in Kützing,  
1849  
(Syn.: *Surirella pinnata* W. Smith; *Surirella ovata* v. *pinnata* (W. Smith) Brun & v. *salina* (W. Smith) Hustedt; *Surirella salina* W. Smith)  
27, 30, 31, 34, 57, 68, 69
- Surirella ovalis** Brébisson  
7, 11, 20, 21, 24, 26, 27, 30, 31, 43, 57, 68
- Surirella ovata** Kützing  
6, 10, 26, 27, 30, 31, 32, 34 36, 50, 51, 54,  
55, 57, 59, 68, 69, 70
- Surirella patella** Kützing v. **subtilis** Meister  
19
- Surirella robusta** Ehrenberg  
22, 25, 28, 32, 33, 40, 68
- Surirella spiralis** Kützing  
1, 15, 19, 26, 31, 34, 40, 68
- Surirella splendida** (Ehrenberg) Kützing  
(Syn.: *Surirella robusta* v. *splendida* (Ehrenberg) V. Heurck)  
1, 16, 19, 25, 26, 27, 28, 31, 32, 34, 40
- Surirella striatula** Turpin  
19, 27, 30, 31, 34, 37, 68, 69
- Surirella tenera** Gregory  
22, 68
- Surirella tenera** v. **nervosa** A. Schmidt  
68
- SYNEDRA** Ehrenberg, 1830
- Synedra actinastroides** Lemmermann  
9
- Synedra acus** Kützing  
1, 3, 13, 14, 19, 20, 21, 22, 26, 27, 30, 31,  
35, 38, 40, 47, 57, 59, 60, 64, 68
- Synedra amphicephala** Kützing  
19, 25, 27, 28, 30, 31, 32, 40, 70
- Synedra baculus** Gregory  
68
- Synedra capitata** Ehrenberg  
19, 20, 30, 31, 34, 68
- Synedra crystallina** (Agardh) Kützing  
68
- Synedra crystallina** v. **conspicua** (Gru-  
now) Peregrallo  
68
- Synedra crystallina** v. **dalmatica** (Gru-  
now) Peregrallo  
68
- Synedra delicatissima** W. Smith  
(Syn.: *Synedra acus* v. *delicatissima* (W.  
Smith) Grunow)  
19, 47
- Synedra delicatissima** v. **angustissima**  
Grunow in V. Heurck, 1881  
(Syn.: *Synedra acus* v. *angustissima* (Gru-  
now) V. Heurck)  
57, 58
- Synedra fasciculata** (Agardh) Kützing  
(Syn.: *Synedra tabulata* (Agardh) Kützing;  
*Synedra affins* Kützing)  
9, 19, 20, 24, 26, 27, 30, 34, 40, 51, 57, 62
- Synedra filiformis** Grunow  
68
- Synedra filiformis** v. **capitata** Cleve  
68
- Synedra filiformis** v. **exilis** Cleve  
68
- Synedra filiformis** v. **maior** Cleve  
68
- Synedra fulgens** (Greville) W. Smith v. **me-  
diterranea** Grunow  
68
- Synedra gailloni** (Bory) Ehrenberg  
26, 30, 31, 34

- Synedra hartii** Cholnoky  
68
- Synedra laevigata** Grunow v. **angustata**  
Grunow  
68
- Synedra meridionalis** Tomàs  
68
- Synedra minuscula** Grunow in V. Heurck,  
1881  
22, 27, 28, 32
- Synedra parasitica** (W. Smith) Hustedt  
(Syn.: *Fragilaria parasitica* (W. Smith)  
Grunow)  
10, 19, 22, 28, 57, 68, 69
- Synedra parasitica** v. **subconstricta** (Gru-  
now) Hustedt  
22, 68
- Synedra provincialis** Grunow  
68
- Synedra pulchella** Ralfs  
3, 4, 20, 27, 30, 31, 34, 57, 68
- Synedra pulchella** v. **lanceolata** O'Meara  
68
- Synedra rumpens** Kützing  
10, 57
- Synedra rumpens** v. **familiaris** (Kützing)  
Hustedt  
29, 30, 34
- Synedra rumpens** v. **meneghiniana** Gru-  
now  
31, 32
- Synedra tabulata** v. **acuminata** (Grunow)  
Hustedt  
(Syn.: *Synedra affinis* Kützing v. *acumina-  
ta* Grunow)  
68
- Synedra tabulata** v. **fasciculata** (Agardh)  
Hustedt  
(Syn.: *Synedra affinis* Kützing v. *fascicula-  
ta* (Kützing) Grunow)  
21, 30, 21, 34, 43, 68
- Synedra tabulata** v. **grandis** (Meres.) Hus-  
tedt  
68
- Synedra tenera** W. Smith  
22
- Synedra tenuissima** (Kützing) Kützing  
(Syn.: *Synedra acus* v. *radians* (Kützing)  
Hustedt)  
19, 20, 21, 25, 26, 27, 28, 30, 31, 32, 34, 35,  
38, 62, 68
- Synedra toxoneides** Castracane  
68
- Synedra ulna** (Nitzsch) Ehrenberg  
1, 2, 3, 4, 7, 9, 11, 15, 16, 19, 20, 21, 22, 25,  
26, 27, 28, 30, 31, 32, 34, 35 36, 38, 39, 40,  
44, 47, 50, 51, 52, 58, 59, 64, 68, 70
- Synedra ulna** v. **aequalis** (Kützing) Brun  
1, 19, 30
- Synedra ulna** v. **amphirhynchus** (Ehren-  
berg) Grunow  
(Syn.: *Synedra ulna* v. *vitrea* (Bory ex  
Kützing) V. Heurck)  
1, 19, 21, 25, 30, 54, 55
- Synedra ulna** v. **danica** (Kützing) V.  
Heurck  
57
- Synedra ulna** v. **longissima** (W. Smith)  
Brun  
(Syn.: *Synedra ulna* v. *biceps* (Kützing) V.  
Schoenfeld)  
17, 19, 21, 30, 34, 68
- Synedra ulna** v. **notata** Grunow  
19, 30
- Synedra ulna** v. **oxyrhynchus** (Kützing) V.  
Heurck  
40, 54, 57, 59, 68
- Synedra ulna** v. **oxyrhynchus** f. **medicon-  
tracta** (Forti) Hustedt  
68
- Synedra ulna** v. **spathulifera** (Grunow) V.  
Heurck  
(Syn.: *Synedra spathulifera* Grunow in V.  
Heurck, 1881)  
38, 68
- Synedra ulna** v. **subaequalis** Grunow  
(Syn.: *Synedra ulna* (Nitzsch) Ehrenberg)  
19, 20, 30

**Synedra undulata** Bailey  
68

**TABELLARIA** Ehrenberg, 1840

**Tabellaria binalis** (Ehrenberg) Grunow in  
V. Heurck, 1881  
10

**Tabellaria fenestrata** (Lyngbye) Kützing  
10, 22, 28, 70

**Tabellaria flocculosa** (Roth) Kützing  
1, 10, 22, 28, 32, 40, 64, 70

**TERPSINOE** Ehrenberg, 1841

**Terpsinoe musica** Ehrenberg  
30, 68

**THALASSIONEMA** Grunow, 1881

**Thalassionema nitzschioïdes** (Grunow)  
Grunow  
68

**THALASSIOSIRA** Cleve, 1873 (emend.  
Hasle)

**Thalassiosira pseudonana** Hasle & Heindal  
(Syn.: *Cyclotella nana* Hustedt)  
63, 68

**Thalassiosira weissflogii** (Grunow) Fryxell  
& Hasle  
(Syn.: *Thalassiosira fluviatilis* Hustedt)  
4, 10, 33, 57, 59, 65, 62, 68, 69

## ACKNOWLEDGEMENTS

Our thanks are due to Prof. Dr. H. Lange-Bertalot (Botanisches Inst. Frankfurt, W. Germany) and to Prof. Dr. S. R. Rushforth (Brigham Young Univ. Utah, USA), for their valuable comments on taxonomic epithets.

## REFERENCES

1. BELLOC, M.E. 1893. Aperçu général de la végétation des lacs dans les Pyrénées. *Asoc. Fr. Avanc. Sci., Congr. de Pau*, 21(1): 412-432.
2. CAMBRA, J. & PERERA, M. 1986. Algues de basses temporals al litoral del Garraf i al Baix Llobregat. *Fol. Bot. Misc.*, 5: 85-91.
3. CAMBRA, J. 1987. Observaciones sobre la periodicidad de las algas filamentosas de la península del cap de Creus (Girona). *Act. VI Simp. Nac. Bot. Cript.*, 25-33.
4. CAMBRA, J. 1987. Observaciones sobre el perifiton de macrófitos en sistemas lacustres del N.E. de España. *Act. IV Cong. Esp. Limnol.*: 105-114.
5. CATALAN, J. 1984. Agregados de algas en la superficie del agua (delta del Llobregat). *Anales Biol.*, 2(2): 75-83.
6. CATALAN, J. & BALLESTEROS, E. 1984. Contribución al estudio de las cubetas supralitorales (Tossa, Costa Brava). *Limnetica*, 1: 43-50.
7. COLMEIRO, M. 1889. Enumeración y revisión de las criptogamas de la península hispano-lusitana e islas Baleares, 5: 875-1064
8. COMÈRE, J. 1984. Algues des sources sulfureuses de Caldes de Boí. *Bull. Soc. Hist. Nat. Toulouse*, 28: 2-30.
9. COMIN, F.A. 1894. Características físicas y químicas y fitoplancton de las lagunas costeras Encarnizada, Tancada y Buda (Delta del Ebro). *Oecol. Aquat.*, 7: 79-162.
10. CARTER, J.R. 1970. Diatoms from Andorra. *Nova Hedw.*, 31: 605-532.
11. DELAS, F.S. 1883. Nota sobre algunas diatomas de Olot. *An. Soc. Esp. Hist. Nat.*, 12: 383-392.
12. DOSSET, J.A. 1888. *Sinopsis de las diatomáceas de Aragón*. Miedes Zaragoza.
13. GARCÍA, M.P. et al. 1984. Sucesión estacional del fitoplancton de la albufera de Valencia. *Anales Biol.*, 2(2): 91-100.
14. GARCÍA-EMILIANI, M.O. 1973. Fitoplancton de la laguna del Vilà (Gerona). *Oecol. Aquat.*, 1: 107-139.
15. GONZÁLEZ-GUERRERO, P. 1927. Contribución al conocimiento ficológico del Pirineo español. *Bol. R. Soc. Esp. Hist. Nat.*, 27: 343-346.
16. GONZÁLEZ-GUERRERO, P. 1930. Datos sobre la ficolflora hispanomarroquí. *Bol. R. Soc. Esp. Hist. Nat.*, 3: 411-416.
17. GONZÁLEZ-GUERRERO, P. 1944. Algues de Valencia. *An. J. Bot. Madrid*, 7: 304-433.
18. HERNÁNDEZ-MARÍNE, M.C. 1978. *Algues en materia orgánica*. Ph. D. Thesis. University of Barcelona.
19. MARGALEF, R. 1944. Datos para la flora algológica de nuestras aguas dulces. *Publ. Inst. Bot. Barcelona*, 4: 1-130.
20. MARGALEF, R. 1945. Primera nota sobre la biología de las aguas estancadas del bajo Urgel. *Ilerda*, 5: 253-313.
21. MARGALEF, R. 1946. Materiales para el estudio de la biología del lago de Bañolas. *Publ. Inst. Biol. Apl.*, 1: 26-78.
22. MARGALEF, R. 1948. *Flora, fauna y comunidades bióticas de las aguas del Pirineo de la Cerdanya*. Inst. Est. Pirenaicos. Barcelona.
23. MARGALEF, R. 1949. La vida en los lagos de alta montaña de los Pirineos. *Pirineos*, 11-12: 5-30.
24. MARGALEF, R. 1949. Segunda nota sobre la biología de las aguas estancadas del bajo Urgel. *Ilerda*, 13: 311-375.

25. MARGALEF, R. 1950. Datos para la biología del estanque de Moncortés (Lérida). *Bol. R. Soc. Española Hist. Nat.*, 48: 209-218.
26. MARGALEF, R. 1951. Materiales para la hidrobiología de la isla de Ibiza. *Publ. Inst. Biol. Apl.*, 8: 5-70.
27. MARGALEF, R. 1952. Materiales para la hidrobiología de la isla de Menorca. *Publ. Inst. Biol. Apl.*, 11: 5-112.
28. MARGALEF, R. 1952. *La vida en las aguas dulces de Andorra*. C.S.I.C. Madrid.
29. MARGALEF, R. 1953. Algunos organismos interesantes de las aguas dulces del Pirineo. *Pirineos*, 9: 407-420.
30. MARGALEF, R. 1953. Materiales para la hidrobiología de la isla de Mallorca. *Publ. Inst. Biol. Apl.*, 15: 5-111.
31. MARGALEF, R. 1954. Materiales para una flora de las algas del N.E. de España. *Collect. Bot.*, 4(1): 53-80; (2): 183-201.
32. MARGALEF, R. 1956. Estudios hidrobiológicos en los valles de Boí. *Act. II Congr. Inst. Est. Pyrénées*, 3(2): 87-109.
33. MARGALEF, R. 1956. Materiales para una flora de las algas del N.E. de España. *Collect. Bot.*, 5(1): 87-107.
34. MARGALEF, R. 1958. Materiales para el estudio de las comunidades bióticas de aguas dulces y salobres del N.E. de España. *Publ. Inst. Biol. Apl.*, 28: 5-47.
35. MARGALEF, R. 1973. Composició del pláncton vegetal en llacs artificials de Catalunya. *Treb. Soc. Cat. Biol.*, 32: 173-179.
36. MARGALEF, R. 1980. Composición y fenología de un arroyo del Montseny. *Oecol. Aquat.*, 4: 111-112.
37. MARGALEF, R. & MIR, M. 1973. Indicadors de canvis de salinitat en els sediments de l'albufera de València. *Treb. Soc. Cat. Biol.*, 32: 111-117.
38. MARGALEF, R., PLANAS, M.D., ARMENGOL, J., VIDAL, A., PRAT, N., GUISET, A., TOJA, J. & ESTRADA, M. 1977. *Limnología de los embalses españoles*. M.O.P.U. Madrid.
39. MASFERRER, R. 1877. Recuerdos botánicos de Vic. *An. Soc. Esp. Hist. Nat.*, 6: 1-80.
40. MASSANELL, M.A. 1966. Algues aquàtiques del Parc d'Aigües Tortes. *Treb. Inst. Est. Catalans*, 31: 1-42.
41. MIRACLE, M.R., GARCÍA, M.P. & VICENTE, E. 1984. Heterogeneidad espacial de las comunidades fitoplanctónicas de la albufera de Valencia. *Limnetica*, 1: 20-31.
42. MODAMIO, X., PÉREZ, V. & SAMARRA, F. 1988. Limnología del lago de Montcortès (ciclo 1978-79) (Pallars-Jussà, Lleida). *Oecol. Aquat.*, 9: 9-17.
43. NOGUEROL, A. 1979. *Algues edáfiques de la comarca de Barcelona*. Ph. D. Thesis. University of Barcelona.
44. PARDO, L. 1942. *La albufera de Valencia*. Inst. Forestal Inv. Exp. Madrid.
45. PLANAS, M.D. 1971. El llac de Banyoles i la seva productivitat bàsica. *Treb. Soc. Cat. Biol.*, 30: 69-78.
46. PLANAS, M.D. 1972. Estudio al microscopio electrónico de algunas diatomeas centrales del género *Cyclotella*. *Acta Phyto. Barcinonesia*, 9: 1-17.
47. PLANAS, M.D. 1973. Composición, ciclo y productividad del fitopláncton de Bañolas. *Oecol. Aquat.*, 1: 3-106.
48. PUIGGARÍ, J. 1874. Noticias sobre algunas diato-
- mías y otras algas microscópicas observadas en Barcelona. *Act. Soc. Española Hist. Nat.*, 3: 110-111.
49. RODRÍGUEZ-FEMENIAS, J.J. 1888-89. Algas de las Baleares. *An. Soc. Esp. Hist. Nat.*, 17: 311-330; 18: 199-274.
50. ROJO, C. et al. 1984. Fluctuación estacional de las poblaciones fitoplancónicas del estany de Cullera. *Annales Biol.*, 2(2): 161-168.
51. ROJO, C., MIRACLE, M.R. & SERRA, M. 1986. Interrelación entre las especies de microalgas halladas en el estany de Cullera (Valencia). *Limnetica*, 2: 35-40.
52. ROJO, C. & OLTRA, R. 1986. Introducción al estudio de las comunidades planctónicas del río Serpis en su tramo medio. *Limnetica*, 2: 253-257.
53. RULL, V. 1981. *Fitoplancton de una charca situada en el Pla de la Llagona* (Vall de Ribes). Ms. Thesis. University of Barcelona.
54. SABATER, S. 1982. *Estudio de la sucesión algológica de una población algal en el Avencó*. Ms. Thesis. University of Barcelona.
55. SABATER, S. 1983. Distribución espacio-temporal de las algas del arroyo del Avencó (Barcelona). *Act. I. Congr. Limnol.*, 159-166.
56. SABATER, S. 1984. Análisis de la sucesión de una comunidad fitobentónica de un río. *Limnetica*, 1: 148-152.
57. SABATER, S. 1987. *Estudi de les poblacions d'algues del riu Ter*. Ph. D. Thesis. University of Barcelona.
58. SABATER, S. 1987. Les algues de l'embassament de can Borrell (Collserola, Barcelona). *Butll. Inst. Cat. Hist. Nat.*, 54(6): 7-12.
59. SABATER, S., SABATER, F. & TOMÁS, X. 1987. Water quality and diatom communities in two catalan rivers (N.E. Spain). *Wat. Res.*, (8): 901-911.
60. SABATER, S., SABATER, F. 1988. Filopláncton dels aiguamolls de ca l'Estany (Tordera, Barcelona). *Coll. Bot.*, 17(1): 11-19.
61. SABATER, S. & SABATER, F. 1988. Diatom assemblages in the river Ter. *Arch. Hydrobiol.*, 111(3): 397-408.
62. SABATER, S., TOMÁS, X., CAMBRA, J. & LANGE-BERTALOT, H. 1990. The diatom flora of the cape of Creus peninsula. *Nova Hedw.*, 51 (1-2): 165-195.
63. SABATER, S., MUÑOZ, I. 1990. Phytoplankton composition and dynamics in the lower strech of the river Ebro. *J. Plankt. Res.*, 12: 573-592.
64. SABATER, S. & ROCA, J.R. 1990. Some factors affecting distribution of diatom assemblages in Pyrenean springs. *Freshw. Biol.*, 24: 493-507.
65. SORIA-GARCÍA, J.M., MIRACLE, M.R. & VICENTE, E. 1987. La albufera de Valencia: comunidades fitoplancónicas en la campaña 1982-83. *Act. VI Simp. Nac. Bot. Cript.*, 165-172.
66. TOMÁS, X. 1979. *Diatomeas de las aguas epicontinentales de España: *Cymbella* y *Gomphonema**. Ms. Thesis. University of Barcelona.
67. TOMÁS, X. 1982. El género *Mastogloia* en los sistemas acuáticos del litoral mediterráneo español. *Coll. Bot.*, 13: 929-944.
68. TOMÁS, X. 1987. *Diatomeas de lagunas costeras*. Ph.D. Thesis. University of Barcelona.
69. TOMÁS, X. & SABATER, S. 1985. The diatom flora of Llobregat river and its relation to water quality. *Verh. Int. Verein. Limnol.*, 22: 2348-2352.
70. VILASECA, J.M. 1978. *Fitopláncton de los lagos pirenarios*. Ms. Thesis. University of Barcelona.