

# biography and bibliography



## Professor ENRIC CASASSAS (1920 – 2000)\*

Enric Casassas i Simó, whose scientific, cultural, and civic activities had earned him great respect in both the scientific and the nonscientific communities, died in Barcelona on February 16, 2000. Through his scientific, cultural and civic activities Prof. Casassas became a recognised authority in Chemistry and a very relevant personality in Catalonia.

The information given below deals with some of the several aspects of his university career, research activities, and civic and humanistic interests. A more detailed biography of Dr Casassas can be obtained from the Biographical Notes written by Prof. Salvador Alegret for the *Miscel·lània Enric Casassas*, co-edited by S. Alegret, J.J. Arias, D. Barceló, J. Casal and G. Rauret (Publicacions de la Universitat Autònoma de Barcelona, Bellaterra, 1991).

### University career

Enric Casassas immediately began to work as a university teacher on completion of his undergraduate studies in chemistry at the University of Barcelona (UB). His doctoral dissertation (1962) was done at the Faculty of Sciences of the UB under the direction of Prof. Francisco Buscarons. This work, an examination of the behaviour of some aliphatic mercaptans, with –OH or –COOH groups contiguous to –SH

groups, towards inorganic ions and of their analytical applications, was awarded the Martí d'Ardenya Prize by the Institute for Catalan Studies.

Prof. Casassas spent two years (1954-55) at the laboratory of Prof. I. M. Kolthoff, at the University of Minnesota at Minneapolis, USA.

Prof. Casassas worked as assistant university professor at the UB from 1949 until 1967, when he became holder of the Chair of Analytical Chemistry at the University of La Laguna (ULL) in the Canary Islands. Two years later, he acceded to the Chair of Chemistry II (in charge of Inorganic and Analytical Chemistry) at the Higher School of Industrial Engineers of Barcelona at the Polytechnic University of Catalonia (UPC). Upon returning to Barcelona he was put in charge of organising the teaching of Analytical and Inorganic Chemistry at the Autonomous University of Barcelona (UAB), which had just been created (1969). He was also charged by the UAB with organising and initiating the teaching of university level science in Girona. Some years later, this programme became the Faculty of Sciences of the University of Girona.

In 1976, Prof. Casassas occupied the Chair of Analytical Chemistry of the Faculty of Chemistry of the UB, a position he continued to hold until his compulsory retirement in 1987. He then became Professor Emeritus of the UB, a position whose tasks he performed very actively until only a few months before his death.

Prof. Casassas' proven capacity in his field and his personal qualifications as an outgoing organiser made him an obvious choice for many different tasks of academic responsibility. He served as Head of Department, Vice-Chancellor for

---

\* **Miquel Esteban and Romà Tauler.** Departament de Química Analítica, Universitat de Barcelona. Avda. Diagonal, 647. 08028 Barcelona, Catalonia (Spain). Email: miquel.esteban@apolo.qui.ub.es-roma@apolo.qui.ub.es

Research at the UAB (1976), Vice-Chancellor for Academic Affairs at the UB (1978 – 82), and as a member of the Academic Committee of the UB (1986-1987). In 1999, he was elected Protector of the University Community at the UAB .

Prof. Casassas was a great communicator of ideas and of his passion for science and knowledge. His brilliant, open and young mind charmed students, co-workers and colleagues throughout his academic career.

### **Civic and humanistic interests**

The parents of Enric Casassas were both schoolteachers who were trained in the new pedagogical tendencies promoted in Catalonia at that time. He attended the Institut-Escola, a pedagogical institution promoted by the Autonomous Government of Catalonia (the Generalitat) for the renovation of secondary education. Unfortunately, he finished secondary school (1937) in the middle of the Spanish Civil War and was called up for service in the armed forces. At the end of the war, he was obliged to do further military service by the Francoist dictatorship and suffered a serious illness. Following this, he attended the Industrial School of Terrassa, where he studied Mechanical Industrial Technology (1943) and Chemical Industrial Technology (1944). Finally, he studied at the University of Barcelona, an institution which had been devastated by the Civil War, with most of its original professors having either gone into exile or been dismissed.

Prof. Casassas' childhood environment and the environment he encountered in his early schooling were based on social responsibility and the predominance of culture and justice. It was, thus, totally opposed to the sordid post-war military regime. In opposition to the situation, Prof. Casassas actively participated in the first student resistance organisations and in many scientific, cultural and civic resistance activities.

In 1959, he participated in the recuperation of the Catalan Society of Physics, Chemistry and Mathematics, being elected president of the Chemistry Section (1959-72) and later of the Society (1973-76).

With the transition to democracy, his activities became more official and took on even greater relevance than before. In 1977, he was named full member of the Institute for Catalan Studies (IEC). He was later the organisation's president (1982-86). He was also president of the Science & Technology Council of the Research & Technology Commission of the Catalan Government from 1981 until its dissolution. In 1989, the Generalitat of Catalonia awarded Enric Casassas the Narcís Monturiol Medal for his services to Catalonia in the field of scientific and technological progress, and in 1992 he received the Premi d'Honor Jaume I.

### **Research Activities**

#### **Solution chemistry**

A significant part of Prof. Casassas' research work was devoted to the field of solution chemistry. His work in this area

began during his PhD research at the University of Barcelona, where he investigated the formation of metal complexes in solution, especially with ligands having S-donor atom groups (i.e. mercaptoethanols and mercaptoacids). Already in these preliminary studies, he paid special attention to the accurate determination of equilibrium stability constants, considering both experimental and numerical aspects and using either potentiometric or voltammetric methods. It should be remembered here that he was using the numerical tools available at that time, the first primitive calculators and electronic computers. This research subject was of considerable and increasing interest from the 1960s to the 1980s, when many accurate stability constant determinations were compiled for common inorganic and organic ligands. In particular, Casassas paid special attention to the implementation of the solution chemistry research methods developed by the Scandinavian school of solution equilibria headed by Lars Gunnar Sillen from the Royal Institute of Technology of Stockholm, the main exponent of this school of thought. Several research co-workers of Professor Casassas were also engaged in this same type of research work at this Institute during these years.

While developing new voltammetric methods in the study of mercaptoethanols and mercaptoacid ligands, Prof. Casassas also focussed his attention on the study of mixed ligand complex formation using potentiometric and spectroscopic techniques. He studied the metal complexation properties of different ligands derived from aromatic o-hydroxycarboxylic acids (like salicylic, hydroxynaphthoic and pamoic acids), nitrogen bases and aminoalcohols. These investigations were performed either in water media or in hydro-organic solvent mixtures. They led to the implementation of experimental methodologies for the establishment of the nature of the reactions and equilibria involved in these systems and hence for their chemical speciation. These metal complexation studies were later extended (see below, the list of references from approximately 1992) to the study of metal complexation with ligands of biological and environmental interest, including macromolecular ligands like humic and fulvic acids as well as nucleic acids and polynucleotides. The interest here was in the study of the solution chemistry of these complex macromolecular ligands. This includes their acid-base and metal complexation equilibria, their polyelectrolyte properties, and also their conformational equilibria. Work on these macromolecular ligands still comprises a subject of great research interest in biochemical and environmental analytical chemistry fields.

#### **Chemometrics**

Initial equilibrium and solution chemistry studies using data treatment methods based on univariate least squares curve-fitting methods were extended afterwards to multivariate spectral data treatment methods. These new methods involved the development and implementation of new algorithms and computer programs. In a few years, these new computational methods were first implemented for large mainframe computers and downsized afterwards to person-

al computers (PC). It is important to emphasise here the interest and effort of Prof. Casassas for the promotion and consolidation of chemometrics as an emerging field, closely related to the explosive incorporation and implementation of computer technologies in the laboratories and instrumentation. Chemometrics is defined as the scientific discipline that seeks the extraction of maximum valuable chemical information from experimental measurements using mathematical, statistical and computational means. Chemometrics can thus be considered a fundamental part of analytical chemistry, sharing its goals but focussing on mathematical, statistical and computational tools. In this sense, and especially during his last years, Prof. Casassas was a strong promoter of chemometrics in our universities. Since 1987, together with Prof. Forina of the University of Genova and Prof. Massart of the University of Brussels, he promoted the introduction of chemometrics in the Southern European Mediterranean countries. He led several international chemometrics conferences and schools, supported by the European Union. Significantly, his latest scientific publication had for title *Soft modelling of Analytical Data* (published by the Encyclopedia of Analytical Chemistry, John Wiley & Sons, 2000, Vol 11, 9800-9837). In this publication, emerging tools to analyse analytical data using multivariate data were reviewed and proposed as complementary tools for the investigation of chemical systems where physicochemical models are difficult or impossible to apply due to their complexity. Prof. Casassas was always a strong defender of the newest strategies and tendencies, but at the same time he was also a strong supporter of well-founded traditional approaches, trying to conserve and keep their positive aspects. In this sense, it is clear that the chemical knowledge provided by classical hard modelling methods, based on the postulation of physico-chemical models, is richer than the chemical knowledge provided by soft modelling methods. However, soft modelling methods are more flexible and do not require the experimental and highly demanding theoretical conditions associated with hard modelling assumptions. Soft modelling methods instead are more flexible and may be used directly to provide analytical information and more easily solve real life industrial and natural problems. Soft modelling methods can be used when hard modelling methods fail or as an independent validation tool to test hard modelling results. New approaches, mixing both soft and hard modelling strategies, have been shown to be optimal in the solution of many problems. Different research groups, including the research group of Solution Chemistry and Chemometrics at the University of Barcelona, the team that Prof. Casassas was leading, are developing such strategies at present.

### Electroanalytical Chemistry

Since his stay at the laboratory of Prof. I. M. Kolthoff, at the University of Minnesota at Minneapolis, in the period 1954-55, Prof. Casassas further explored his initial interest for analytical chemistry in subjects more closely related to physical chemistry, in general, and electrochemistry, in particular. As

mentioned above, a significant part of his research work was devoted to the study, by potentiometric, polarographic and voltammetric means, of the behaviour of many organic compounds, especially those with azo- and divalent sulphur-groups, and their metal complexes.

Prof. Casassas had a great interest not only in experimental electroanalytical studies but also in the development of voltammetric methods based on the postulation of physico-chemical models and their further validation by experimental means.

In the first PhD thesis supervised by Casassas, he and Lluís Eek developed an original method for the polarographic determination of stability constants of metal complexes based on the ligand signal instead of the commonly used metal ion reduction signal (see *J. Chim. Phys.* 64, 1967, 971-977). This method has now been extensively described in specialised works (D.R. Crow, *Polarography of metal complexes*, Academic Press, London, 1969, pp. 80-84) and textbooks (J.A. Plambeck, *Electroanalytical Chemistry. Basic principles and Applications*, Wiley-Interscience, New York, 1982, p. 305). Some years later, in a miscellaneous collection of contributions in homage to the poet Gabriel Ferrater (see *Una lleu sorra* [37]), Casassas outlined the possibility of using the anodic oxidation signal of mercury (from the electrode) for the polarographic determination of stability constants of metal complexes other than mercury. This idea was then recovered and developed in detail, and an original method was described (*J. Electroanal. Chem. Interfacial. Electrochem.* 194, 1985, 11-25). The method is based on the use of the potential shifts of the anodic oxidation signal of the mercury (from the electrode). It was satisfactorily applied to sulphur-containing compounds, and this method has also been widely referenced in the literature. At that time, and in parallel to the above-mentioned item, the behaviour of anodic oxidation of mercury in the presence of many sulphur-containing compounds was exhaustively studied, by a variety of electrochemical techniques, in the lab of Prof. Casassas.

Prof. Casassas also attempt to understand and quantify the role played by ligand electrode adsorption on the determination of metal stability constants by polarographic means, a matter much discussed in the 1970s and 1980s. A variety of halide and pseudohalide metal complexes was systematically studied (*J. Electroanal. Chem. Interfacial. Electrochem.* 213, 1986, 235 - 244), and these investigations led to wide further discussion in the literature.

At the final stage of his academic career, as professor emeritus, he was actively involved in the voltammetric study of the interactions between metal ions and macromolecular polyelectrolytic ligands, of either environmental or biological interest, such as polysaccharides, humics and polycarboxylic acids. This is one of the subjects orienting the discussions of the research group of Electroanalytical Chemistry at the University of Barcelona founded by Prof. Casassas.

In this regard, it is worth remarking on the series of papers devoted to the development of a theoretical model for metal complex systems involving both species with very different

diffusion coefficients and adsorption phenomena because of the self-adsorption of the ligand and the induced adsorption of the metal. The theoretical model was developed for pulse polarography, checked by numerical simulation and experimentally tested with several metal-polycarboxylate systems. This model has been collected in recent reviews on Electroanalytical Chemistry in the literature. The research activity is one which was carried out in intimate collaboration with research groups of the Department of Physical Chemistry at the University of Barcelona and of the Department of Chemistry at the University of Lleida (ULL).

The aforementioned interest of Prof. Casassas on chemometrics is also reflected in his participation in a pioneering paper describing the use of several chemometric techniques to voltammetric data from metal-ligand equilibria systems (*J. Electroanal. Chem.* 393, 1995, 7 – 16).

Among the findings of Prof. Casassas we can also mention several new applications of voltammetric techniques to the determination of trace components in environmental samples and of compounds of pharmacological interest.

#### Other scientific activities

As a result of his research activity, Prof. Casassas kept up international relationships with different scientists and research groups all over the world. Already in the 1990s, Prof. Casassas was a strong supporter of cooperation between different research Institutes of the Russia Academy of Sciences and the Institut for Catalan Studies (IEC) (the national academy in Catalonia). He led fruitful cooperation projects between different scientists and research groups of Russia. Some of these cooperation projects were in the frame of international association research cooperation programs funded by the European Union (like the INTAS program).

Professor Casassas also excelled as a university professor. In the field of analytical chemistry, he promoted the curriculum reform of this discipline, arguing for a more rigorous and scientific treatment of the subject and specially emphasising the grounds of chemical methods of analysis, pushing for a deeper knowledge of solution chemistry and analytical applications of solution chemistry. At the same time, he urged the introduction and potentiation of modern instrumental methods of analysis, especially those based in electrochemistry and those related to environmental analysis. As we have already mentioned, he promoted the introduction of chemometrics at both undergraduate and postgraduate levels. This is now recognised and accepted as a normal thing in our analytical chemistry curricula. Indeed, it would be difficult to have achieved this without his significant contributions. Prof. Casassas supervised 26 doctoral dissertations (17 at the UB, 5 at the UAB, 2 at the UPC and 2 at the ULL).

In summary, we would like to point up two main features of the scientific personality of Prof. Casassas. First, we would like to mention his personality as an integral scientist. In our times, when scientists are becoming progressively restricted to their own narrow scientific specialities, Enric Casassas exercised a widespread scientific knowledge. He

was always ready for a problem-solving approach and open to consultation on doubts, not only in his scientific speciality but also in many others. His extraordinary, profound, scientific knowledge went beyond chemistry into other fields, including the humanities and the arts. Second, we should underscore his great intelligence and his capacity to express scientific concepts in a clear, precise, and objective way. He had an enviable demanding attitude for describing and writing scientific concepts without ambiguities. This has been widely recognised by everybody who worked with him. His accurate opinions and corrections helped many of us in our research training and career development. In this sense, we want to express our admiration for his restless working capacity and his indefatigable efforts to improve our research work as well as his own. Finally, we simply wish to express our deep admiration for the strong personality of Prof. Casassas. He greatly influenced our generation, and his critical compromise and lucid opinions on old and new problems, like his dedication to science and to the university, as well as to his own country and society, have left their indelible mark and set very high standards.

#### Research papers

- [1] F. Buscarons y E. Casassas: Formación de complejos solubles por tioles alifáticos y sus aplicaciones analíticas. I. Acido tioglicólico y alfa-tioglicerina. ANALES DE LA REAL SOCIEDAD ESPAÑOLA DE FÍSICA Y QUÍMICA, 51, 331-340 (1955).
- [2] F. Buscarons y E. Casassas: Formación de complejos solubles por tioles alifáticos y sus aplicaciones analíticas. II. Reacciones cualitativas de iones con mercaptoetanol, con 2,3-dimercaptopropanol y con ácido 2-mercaptopropiónico. ANALES DE LA REAL SOCIEDAD ESPAÑOLA DE FÍSICA Y QUÍMICA, 55, 655-662 (1959).
- [3] F. Buscarons y E. Casassas: Formación de complejos solubles por tioles alifáticos y sus aplicaciones analíticas. III. Solubilización de hidróxidos y sulfuros de cationes pesados mediante mercaptoetanol, 2,3-dimercaptopropanol, ácido 2-mercaptopropiónico o ácido mercaptosuccínico. ANALES DE LA REAL SOCIEDAD ESPAÑOLA DE FÍSICA Y QUÍMICA, 55, 663-668 (1959).
- [4] E. Casassas et F. Buscarons: Applications analytiques de quelques mercaptoalcools et mercaptoacides aliphatiques. CHIMIE ANALYTIQUE, 44, 20-24 (1962).
- [5] F. Buscarons, E. Casassas y M. Ciutat: Determinación volumétrica de Ag(I) con mercaptoetanol. ANALES DE LA REAL SOCIEDAD ESPAÑOLA DE FÍSICA Y QUÍMICA, 58, 335-338 (1962).
- [6] E. Casassas y J. Alsina: Formación de complejos metálicos solubles por mercaptanos alifáticos. IV. Enmascaramiento de reacciones de precipitación de cationes. ANALES DE LA REAL SOCIEDAD ESPAÑOLA DE FÍSICA Y QUÍMICA, 59, 59-68 (1963).

- [7] E. Casassas: Étude de la réduction polarographique de l'ion ditelluratocuprate(III). *Compte rendu al JOURNAL DE CHIMIE PHYSIQUE ET DE PHYSICO-CHIMIE BIOLOGIQUE*, 61, 987 (1964).
- [8] E. Casassas: Identification et détermination semi-quantitative de faibles quantités de Cu(II) per réaction avec le dimercapto-2,3-propanol. *CHIMIE ANALYTIQUE*, 47, 419-425 (1965).
- [9] E. Casassas y L. Eek: Estudio sobre las aplicaciones analíticas de algunos azobencenos *orto*-sustituídos. I. Reaccionabilidad cualitativa de *o*-hidroxiazobenceno, *o,o'*-dihidroxiazobenceno y *o,o'*-dicarboxiazobenceno. *ANALES DE LA REAL SOCIEDAD ESPAÑOLA DE FÍSICA Y QUÍMICA*, 61, 577-584 (1965).
- [10] E. Casassas, L. Eek y J. Rosal: Estudio sobre las aplicaciones analíticas de algunos azobencenos *orto*-sustituídos. II. Determinación espectrofotométrica de paladio con *o*-hidroxiazobenceno. *INFORMACIÓN DE QUÍMICA ANALÍTICA*, 19, 135-141 (1965).
- [11] E. Casassas et L. Eek: Détermination polarographique des constantes de stabilité des complexes métalliques par mesure du déplacement de la vague cathodique du ligand. *JOURNAL DE CHIMIE PHYSIQUE*, 64, 971-977 (1967).
- [12] E. Casassas et L. Eek: Comportement polarographique de l'*o,o'*-dihydroxyazobenzène en présence d'ions métalliques: étude de la formation de complexes avec Ni(II). *JOURNAL DE CHIMIE PHYSIQUE*, 64, 978-983 (1967).
- [13] E. Casassas, L. Eek y N. Salvatella: Estudio de las aplicaciones analíticas de algunos azobencenos *orto*-sustituídos. III. Determinación espectrofotométrica de molibdeno con *o,o'*-dihidroxiazobenceno. *INFORMACIÓN DE QUÍMICA ANALÍTICA*, 21, 48-57 (1967).
- [14] L. Eek et E. Casassas: Comportement polarographique du *o,o'*-dihydroxyazobenzene en présence d'ions métalliques. II. *Compte rendu al JOURNAL DE CHIMIE PHYSIQUE*, 65, 583-584 (1968).
- [15] T. Fernández, E. Casassas y F. García-Montelongo: Determinación complexométrica de metales por alta frecuencia en medios no acuosos. *ANALES DE LA REAL SOCIEDAD ESPAÑOLA DE FÍSICA Y QUÍMICA*, 64, 315-328 (1968).
- [16] J. Fuentes-Duchemin and E. Casassas: Photometric determination of traces of pyridine by reaction with cyanogen bromide and 4,4'-diaminostilbene-2,2'-disulphonic acid. *ANALYTICA CHIMICA ACTA*, 44, 462-466 (1969).
- [17] E. Casassas y H. Torres: Determinación de trazas de cobre (II) por su efecto sobre la cinética de la auto-oxidación del furfuraldehído. *INFORMACIÓN DE QUÍMICA ANALÍTICA*, 23, 61-74 (1969).
- [18] E. Casassas et J. Pérez-González: Préparation et étude de quelques sels solides nouveaux de l'anion ditelluratocuprate(III). *Compte rendu al JOURNAL DE CHIMIE PHYSIQUE*, 66, 1594 (1969).
- [19] E. Casassas y T. Fernández: Determinación complexométrica de metales por alta frecuencia en medios no acuosos. II. Valoración con ácido 1,2-diaminociclohexanotetraacético. *ANALES DE LA REAL SOCIEDAD ESPAÑOLA DE FÍSICA Y QUÍMICA*, 66, 45-59 (1970).
- [20] T. Fernández y E. Casassas: Determinación complexométrica de metales por alta frecuencia en medios no acuosos. III. Valoraciones indirectas con ácido DCTA. *ANALES DE LA REAL SOCIEDAD ESPAÑOLA DE FÍSICA Y QUÍMICA*, 66, 61-77 (1970).
- [21] L. Eek y E. Casassas: Determinación polarográfica de magnesio en presencia de calcio con *o,o'*-dihidroxiazobenceno; aplicaciones al análisis de aguas y de calizas. *INFORMACIÓN DE QUÍMICA ANALÍTICA*, 24, 1-14 (1970).
- [22] E. Casassas y J. Pérez-González: Nuevas aplicaciones del ditelluratocuprato (III) de potasio al análisis volumétrico. *QUÍMICA E INDUSTRIA*, 16, 13-19 (1970).
- [23] E. Casassas y F. García-Montelongo: Ultramicrovaloración de alcaloides en nitrometano. I. Con solución valorante de ácido perclórico en ácido acético glacial o en dioxano. *ANALES DE LA REAL SOCIEDAD ESPAÑOLA DE FÍSICA Y QUÍMICA*, 67, 259-269 (1971).
- [24] F. García-Montelongo y E. Casassas: Ultramicrovaloración de alcaloides en nitrometano. II. Con solución valorante de ácido perclórico en nitrometano. *ANALES DE LA REAL SOCIEDAD ESPAÑOLA DE FÍSICA Y QUÍMICA*, 67, 271-280 (1971).
- [25] E. Casassas y J. Fuentes-Duchemin: Determinación fotométrica de ácido nicotínico y nicotinamida por reacción con bromuro de cianógeno y ácido 4,4'-diaminoestilben-2,2'-disulfónico. *INFORMACIÓN DE QUÍMICA ANALÍTICA*, 25, 158-166 (1971).
- [26] T. Fernández y E. Casassas: Estudio conductimétrico de alta frecuencia del ácido *p*-fenilendiaminotetraacético. I. Complejos metálicos. *ANALES DE LA REAL SOCIEDAD ESPAÑOLA DE FÍSICA Y QUÍMICA*, 67, 853-863 (1971).
- [27] T. Fernández y E. Casassas: Estudio conductimétrico de alta frecuencia del ácido *p*-fenilendiaminotetraacético. II. Medios alcohólicos, de piridina y de dimetilformamida. *ANALES DE LA REAL SOCIEDAD ESPAÑOLA DE FÍSICA Y QUÍMICA*, 67, 863-869 (1971).
- [28] E. Casassas: Estudi sobre la reactivitat envers els ions metàl·lics d'alguns reactius quelatants amb grups -SH i sobre la formació de complexos per alguns mercaptoàcids alifàtics. (Premi Martí d'Ardenya, 1968). *Arxius de la Secció de Ciències*, núm. 45; Institut d'Estudis Catalans, Barcelona, 1971. 57 pàgs.
- [29] F. García-Montelongo y E. Casassas: Ultramicrovaloración diferencial de alcaloides en nitrometano. *ANALES DE LA REAL SOCIEDAD ESPAÑOLA DE FÍSICA Y QUÍMICA*, 68, 1379-1388 (1972).
- [30] E. Casassas et J. J. Arias-León: Étude potentiométrique de la formation de complexes métalliques des acides mercaptosuccinique et carboxyméthylmer-

- captosuccinique. *Compte rendu al JOURNAL DE CHIMIE PHYSIQUE*, 69, 1261 (1972).
- [31] E. Casassas et J. J. Arias-León: Formation de complexes métalliques de l'acide bis(carboxyméthylmercapto)-2,2'-diéthyléther. *Compte rendu al JOURNAL DE CHIMIE PHYSIQUE*, 69, 1262 (1972).
- [32] E. Casassas, F. García-Montelongo y J. J. Arias: Microvaloración potenciométrica de bases orgánicas en nitrometano. *INFORMACIÓN DE QUÍMICA ANALÍTICA*, 27, 282-290 (1973).
- [33] E. Casassas y J. J. Arias: Determinación espectrofotométrica de Cu(II) y de Pd(II) con 2,2'-bis(carboximetilmercapto)diethyléter. *INFORMACIÓN DE QUÍMICA ANALÍTICA*, 27, 151-157 (1973).
- [34] E. Casassas, J. J. Arias y A. Mederos: Espectrofotometría de los complejos de Cu(II), Ni(II), Co(II) y Pd(II) con 2,2'-bis(carboximetilmercapto)diethyléter y análisis de sus espectros. *ANALES DE LA REAL SOCIEDAD ESPAÑOLA DE FÍSICA Y QUÍMICA*, 69, 1121-1131 (1973).
- [35] M. Aguilar, J. J. Arias and E. Casassas: Complex formation between 2,2'-bis (carboxymethylmercapto)diethylether and lead(II). *PROCEEDINGS OF THE XVth INTERNATIONAL CONFERENCE ON COORDINATION CHEMISTRY*, W. J. Davies (ed.), Trinity College and University College, Dublin, 1974. Page 2.31.b.
- [36] J. Ros, J. A. Granados y E. Casassas: Caracterización de las variedades comerciales de fibras de poliuretano mediante espectroscopia infrarroja. *REVISTA DE LA INDUSTRIA TEXTIL*, 120, 185-196 (1974).
- [37] E. Casassas: Estudi dels mètodes polarogràfics de determinació de constants d'estabilitat de complexos metàl·lics, especialment dels mètodes basats en mesures del desplaçament de l'ona del lligand. *Una lleu sorra, en memòria de Gabriel Ferrater* (E. Bonet, ed.). Col·lecció Ciència Fonamental i Aplicada, núm. 1. Edicions 62. Barcelona, 1975. pags. 109-189.
- [38] J. Ros, P. Pagès y E. Casassas: Determinación del grado de mercerización del algodón mediante el índice de sorción de iodo. *REVISTA DE QUÍMICA TEXTIL*, 40, 25-32 (1975).
- [39] E. Casassas, J. Ros y P. Pagès: Estudio de las variables que afectan el índice de sorción de iodo por materiales celulósicos. *QUÍMICA ANALÍTICA PURA Y APLICADA*, 30, 119-125 (1976).
- [40] E. Casassas, J. J. Arias-León et F. García-Montelongo: Étude potentiométrique de la formation de complexes métalliques des acides mercaptosuccinique et carboxyméthylmercaptosuccinique. *JOURNAL DE CHIMIE PHYSIQUE*, 74, 324-328 (1977).
- [41] E. Casassas, J. J. Arias-León et F. García-Montelongo: Complexes métalliques du bis [(carboxyméthyl)thio]-éthyl éther. *JOURNAL DE CHIMIE PHYSIQUE*, 74, 424-426 (1977).
- [42] M. Aguilar, S. Alegret and E. Casassas: Complex formation between cadmium(II) and 2-mercaptopropionic acid in 3.0 M NaClO<sub>4</sub> at 25°C. *JOURNAL OF INORGANIC AND NUCLEAR CHEMISTRY*, 39, 733-737 (1977).
- [43] M. Aguilar, M. Valiente y E. Casassas: Equilibrios de disociación de algunos mercaptoácidos sencillos en solución de perclorato de sodio 3,0 M a 20°C. *ANALES DE LA REAL SOCIEDAD ESPAÑOLA DE FÍSICA Y QUÍMICA*, 74, 253-260 (1978).
- [44] M. Aguilar, S. Alegret and E. Casassas: Solubility equilibria in the system Cd(II)-2-mercaptopropionic acid at 25°C. *JOURNAL OF INORGANIC AND NUCLEAR CHEMISTRY*, 40, 1903-1905 (1978).
- [45] E. Casassas y S. Alíer: Respuesta del ion cadmio(II) frente a variables instrumentales en polarografía impulsional. *ANALES DE QUÍMICA*, 75, 238-242 (1979).
- [46] E. Casassas and J. L. Fàbregas: Spectrophotometric determination of furosemide with phloroglucinol. *ANALYTICA CHIMICA ACTA*, 106, 151-154 (1979).
- [47] J. L. Fàbregas and E. Casassas: Spectrophotometric determination of nitrofurazone with phloroglucinol. *ANALYTICA CHIMICA ACTA*, 107, 401-404 (1979).
- [48] E. Casassas and J. L. Fàbregas: Spectrophotometric determination of quintomycin sulphate with phloroglucinol. *ANALYTICAL LETTERS*, 12, 603-611 (1979).
- [49] S. Alegret, E. Casassas et I. Puigdomenech: Étude de la complexation entre Cu(II) et 2-( $\alpha$ -méthylthiophénylazo)-5-nitrotoluène en NaClO<sub>4</sub> 0.1 M en dioxane-eau 3: 1 (v/v). *Compte rendu al JOURNAL DE CHIMIE PHYSIQUE*, 76, 983 (1979).
- [50] S. Alíer et E. Casassas: Réduction du Noir d'Ériochrome T par polarographie impulsionnelle. *Compte rendu al JOURNAL DE CHIMIE PHYSIQUE*, 76, 984 (1979).
- [51] J. J. Fàbregas and E. Casassas: Spectrophotometric determination of sodium chondroitin sulphate with phloroglucinol. *PHARMACEUTICA ACTA HELVETIAE*, 56, 265-267 (1981).
- [52] V. Cerda, E. Casassas and F. García-Montelongo: Thermometric titration of mono- and poly-protic acids in water-methanol medium. *THERMOCHIMICA ACTA*, 47, 343-353 (1981).
- [53] V. Cerda, E. Casassas y F. Borrull: Aplicaciones analíticas de la agrupación amidooxima. IV. Síntesis, características y aplicaciones cualitativas de la 3,3'-tiodipropionarnidooxima. *ANALES DE QUÍMICA*, 78, 327-333 (1982).
- [54] V. Cerda, E. Casassas, F. Borrull and M. Esteban: Thermometric behaviour of (methylthio)acetic acid, thiodiacetic acid and 3,3'-thiodipropanoic acid. *THERMOCHIMICA ACTA*, 55, 1-10 (1982).
- [55] V. Cerda, E. Casassas and F. Borrull: Analytical properties of the amidoxime group. V. Thermometric study of 3,3'-oxy-, 3,3'-thio-, and 3,3'-imino-dipropioamidoxime. *THERMOCHIMICA ACTA*, 57, 195-207 (1982).
- [56] E. Casassas, G. Rauret y R. Rubio: Estudio analítico de mono- y di-hidroximetiltioureas: determinación espectrofotométrica de osmio. *ANALES DE QUÍMICA*, 79, 284 - 289 (1983).

- [57] S. Alegret, I. Puigdomenech and E. Casassas: Complex formation by o-alkylthio-substituted azocompounds. I. Potentiometric studies on complex formation between copper(II) ion and 2-(2'-methylthiophenylazo)-5-nitrotoluene. *QUÍMICA ANALÍTICA*, 2, 62-69 (1983).
- [58] S. Alegret, D. Hernanz and E. Casassas: Complex formation by o-alkylthio-substituted azocompounds. II. Solvent extraction studies on complex formation between Cu(II) ion and 1-[(2'-methylthiophenyl)azo]-2-naphthol. *QUÍMICA ANALÍTICA*, 2, 70-77 (1983).
- [59] J. Alió y E. Casassas: Síntesis y propiedades analíticas del 2-(2'-carboximetiltiofenilazo)-5-nitrotolueno. *QUÍMICA ANALÍTICA*, 2, 145-151 (1983).
- [60] M. Valiente, M. Aguilar y E. Casassas: Formación de complejos en el sistema talio(III)-ácido 2-mercapto-propiónico, en  $\text{NaClO}_4$  3,0 mol  $\text{dm}^{-3}$  a 298 K. *QUÍMICA ANALÍTICA*, 3, 71-82 (1984).
- [61] E. Casassas, M. Esteban and C. Ariño: Simultaneous determination of lead and cadmium in sodium chloride by some techniques of anodic stripping voltammetry. *Instrumental Analysis of Foods: Recent Progress*, G. Charalambous and G. Inglett, Eds., Vol. 2, pp. 493-518, Academic Press, New York (1983).
- [62] E. Bosch, E. Casassas, A. Izquierdo and M. Rosés: Color Changes in Screened Indicators. *ANALYTICAL CHEMISTRY*, 56, 1422-1428 (1984).
- [63] E. Casassas y S. Alier: Comportamiento de algunos sistemas electroquímicos no reversibles en polarografía impulsional diferencial. *ANALES DE QUÍMICA*, 80, 373-381 (1984).
- [64] E. Casassas y J. Alió: Constante de protonación del 2-(2'-carboximetiltiofenilazo)-5-nitrotolueno en soluciones en agua-dioxano de diferentes contenidos en dioxano. *ANALES DE QUÍMICA*, 80, 361-367 (1984).
- [65] E. Casassas and R. Tauler: Mixed-ligand complex formation in the system copper(II)-salicylate ion-ethylenediamine. *JOURNAL DE CHIMIE PHYSIQUE*, 81, 233-241 (1984).
- [66] E. Casassas, G. Rauret and R. Rubio: Spectrophotometric determination of cyanide with pyridine and 4,4'-diaminostilbene-2,2'-disulfonic acid. *THE ANALYST*, 109, 1159-1163 (1984).
- [67] E. Casassas y J. Alió: Formación de complejos metálicos de 2-(2'-carboximetiltiofenilazo)-5-nitrotolueno. I. Complejos de Cu(II), Zn(II), Ni(II), Co(II) y Mn(II). *ANALES DE QUÍMICA*, 80, 498-505 (1984).
- [68] E. Casassas and J. Alió: Metal complexes of 2-(2'-carboxymethylthiophenylazo)-5-nitrotoluene. II. Complex formation equilibria with copper(II) ion in several dioxane-water mixtures. *POLYHEDRON*, 4, 857-867 (1985).
- [69] E. Casassas and R. Tauler: Mixed-ligand complex formation in the copper(II) ion - salicylate ion - picolinate ion system. *JOURNAL DE CHIMIE PHYSIQUE*, 81, 557-567 (1984).
- [70] G. Rauret, E. Casassas and M. Baucells: Spectrochemical analysis of some Medieval glass fragments from Catalan gothic churches. *ARCHAEOLOGY*, 27, 195-201 (1985).
- [71] E. Casassas and M. Esteban: Polarographic determination of the stability constants of metal complexes based on the shifts in half-wave or peak potential of the anodic oxidation of mercury. *JOURNAL OF ELECTROANALYTICAL CHEMISTRY AND INTERFACIAL ELECTROCHEMISTRY*, 194, 11 - 25 (1985).
- [72] R. Tauler, E. Casassas, M. J. A. Rainer and B. M. Rode: The complex formation of copper(II) with triethanolamine in aqueous solution. *INORGANICA CHIMICA ACTA*, 105, 165-170 (1985).
- [73] E. Casassas, M. Filella, A. Izquierdo, M. D. Prat and R. Rodríguez: A potentiometric study on the complex equilibria between nickel(II) and 2-mercapto-2-phenylacetic acid. *POLYHEDRON*, 4, 1951-1956 (1985).
- [74] E. Casassas, M. Esteban y C. Ariño: Determinación de trazas de compuestos orgánicos de azufre bivalente mediante voltamperometría de redisolución catódica. *TÉCNICAS DE LABORATORIO*, 9, 278-286 (1985).
- [75] E. Casassas, C. Ariño and M. Esteban: Cathodic stripping voltammetry of 2-mercaptoethanol. *ANALYTICA CHIMICA ACTA*, 176, 113-119 (1985).
- [76] J. L. Fàbregas and E. Casassas: Selective spectrophotometric determination of purine nucleosides with phloroglucinol. *DRUG DEVELOPMENT AND INDUSTRIAL PHARMACY*, 11, 2127-2135 (1985).
- [77] E. Casassas, A. Izquierdo-Ridorsa, L. García-Puignou and J. Duñach: Spectrophotometric determination of traces of aluminium(III) with pamoic acid. *ANALYTICAL LETTERS*, 18, 2239-2258 (1985).
- [78] E. Casassas and R. Tauler: Mixed-Ligand complex formation in the Cu(II)-salicylate-ammonia and in the Cu(II)-salicylate-pyridine systems. *JOURNAL DE CHIMIE PHYSIQUE*, 82, 1067-1078 (1985).
- [79] E. Casassas, M. Filella and A. Izquierdo: Complex formation in the system Ni(II) - 2-mercapto-2-phenylacetic acid. *REVISTA PORTUGUESA DE QUÍMICA*, 27, 326-327 (1985).
- [80] E. Casassas and M. Esteban: Anodic oxidation of mercury in the presence of thioether carboxylic acids. I. 2,2'-thiobisacetic acid and 3,3'-thiobispropanoic acid. *ELECTROCHIMICA ACTA*, 31, 327-334 (1986).
- [81] R. Tauler, E. Casassas and B. M. Rode: The complex formation of Cu(II) with mono- and di-ethanolamine in aqueous solution. *INORGANICA CHIMICA ACTA*, 114, 203-209 (1986).
- [82] A. Bonvalet, J. Ferran et E. Casassas: Analyse minérale de tissus végétaux a faible teneur en silice: Proposition d'une technique de minéralisation simplifiée et d'un plan d'organisation de la méthode d'analyse multiélémentaire. *OLEAGINEUX, REVUE INTERNATIONALE DES CORPS GRAS*, 41, 141-151 (1986).
- [83] E. Casassas and R. Tauler: Potentiometric study of mixed-ligand complex formation in the copper(II)-salicylate - mono-, di-, and triethanolamine systems. *JOURNAL DE CHIMIE PHYSIQUE*, 83, 409-417 (1986).

- [84] F. Borrull, J. Guasch, E. Casassas and V. Cerdà: Analytical properties of the amidoxime group. XII. Spectrophotometric study of several metal-amidoxime complexes. *POLYHEDRON*, 5, 1277-1284 (1986).
- [85] M. Filella, A. Izquierdo and E. Casassas: The binding of metal ions by mercaptoacids. I. Formation constants for the complexes of mercaptosuccinate with Zn(II), Ni(II) and hydrogen ions. *JOURNAL OF INORGANIC BIOCHEMISTRY*, 28, 1-12 (1986).
- [86] E. Casassas and T. Visa: Synthesis and characterization of bismuth(III) complexes of 2-aminobenzenethiol. *POLYHEDRON*, 5, 1513-1518 (1986).
- [87] M. Esteban, E. Casassas and L. Fernández: Formation constants of some mercury(II) complexes determined from their anodic polarographic signals. *TALANTA*, 33, 843-846 (1986).
- [88] E. Casassas, M. Esteban and C. Müller: Anodic oxidation of mercury in the presence of thioether acids: methylthioacetic acid. *JOURNAL OF ELECTROANALYTICAL CHEMISTRY AND INTERFACIAL ELECTROCHEMISTRY*, 213, 65-73 (1986).
- [89] E. Casassas and T. Visa: 2-Aminobenzenethiol and its disulfide as complexing agents for metal ions. I. Protonation equilibria in water-ethanol solution (1:1, v/v), redox properties. *JOURNAL DE CHIMIE PHYSIQUE*, 83, 589-598 (1986).
- [90] E. Casassas and C. Ariño: Determination of stability constants of some cadmium complexes by polarographic techniques in the presence of electrode adsorption. *JOURNAL OF ELECTROANALYTICAL CHEMISTRY AND INTERFACIAL ELECTROCHEMISTRY*, 213, 235-244 (1986).
- [91] E. Casassas, M. Esteban and C. Ariño: Cathodic stripping voltammetry of thioether acids: Methylthioacetic and 2,2'-thiobisacetic acids. *JOURNAL OF ELECTROANALYTICAL CHEMISTRY AND INTERFACIAL ELECTROCHEMISTRY*, 215, 103-110 (1986).
- [92] F. Borrull, E. Casassas, V. Cerdà and J. Guasch: Analytical properties of the amidoxime group. XI. Synthesis, physico-chemical properties and behaviour of nitrilotriacetamidoxime and ethylenediaminetetraacetamidoxime as analytical reagents. *QUÍMICA ANALÍTICA*, 5, 287-303 (1986).
- [93] E. Casassas, M. Esteban and C. Ariño: Anodic oxidation of mercury in the presence of thioether acids. Ethane-1,2-bis(mercaptoacetic acid). *ELECTROCHIMICA ACTA*, 32, 67-69 (1987).
- [94] E. Casassas, M. Esteban and C. Ariño: Anodic oxidation of mercury in the presence of thioether acids: Methane-1,1-bis(mercaptoacetic acid). *COLLECTION OF CZECHOSLOVAK CHEMICAL COMMUNICATIONS*, 52, 616-625 (1987).
- [95] E. Casassas, R. Tauler and M. Filella: A critical comparison of computer programs for the potentiometric determination of stability constants. *ANALYTICA CHIMICA ACTA*, 191, 399-411 (1986).
- [96] E. Casassas, M. Filella and R. Tauler: Analysis of the results obtained from different computer programs applied to potentiometric complexation data. *ANALYTICA CHIMICA ACTA*, 191, 413-423 (1986).
- [97] E. Casassas, G. Fonrodona and R. Tauler: Potentiometric study of the Co(II), Ni(II), Cu(II), Zn(II) and Cd(II) complexes with 3-hydroxy-2-naphthalene carboxylic acid. *POLYHEDRON*, 6, 1517-1521 (1987).
- [98] M. Filella, E. Casassas and D. R. Williams: The binding of metal ions by mercaptoacids. II. Formation constants for the complexes of mercaptosuccinate with Cd(II) and computer simulation of its ability to mobilize the low molecular weight fraction of Cd(II) in blood plasma. *INORGANICA CHIMICA ACTA*, 136, 177-183 (1987).
- [99] G. Rauret, E. Casassas, F. X. Rius and M. Muñoz: Cluster analysis applied to spectrochemical data of European Mediaeval stained glasses. *ARCHAEOLOGY*, 29, 240-249 (1987).
- [100] L. Vich, J. M. Estela, V. Cerda, E. Casassas and S. Hernández-Cassou: Chemical behaviour of *o,o*-diaminoazobenzene: spectrophotometric determination of palladium(II). *POLYHEDRON*, 6, 2137-2143 (1987).
- [101] M. Esteban, E. Casassas and L. Fernández: Determination of stability constants from polarographic anodic signals for metal complexes with some S-containing ligands. *JOURNAL OF ELECTROANALYTICAL CHEMISTRY AND INTERFACIAL ELECTROCHEMISTRY*, 241, 113-123 (1988).
- [102] E. Casassas, A. Izquierdo-Ridora and L. Puignou: Catalytic spectrophotometric determination of trace amounts of copper(II) with 3-hydroxy-2-naphthoic acid. *TALANTA*, 35, 199-203 (1988).
- [103] J. L. Fàbregas and E. Casassas: Spectrophotometric determination of pyrimidine nucleosides with phloroglucinol. *DRUG DEVELOPMENT AND INDUSTRIAL PHARMACY*, 14, 155-163 (1988).
- [104] E. Casassas and G. Fonrodona: Potentiometric study of the protonation and binary complexation equilibria between the hydrogen ion, copper(II) ion and zinc(II) ion and the picolinate ion in dioxane-water mixtures. *POLYHEDRON*, 7, 689-694 (1988).
- [105] R. Tauler and E. Casassas: A Simplex search for conditions giving maximal and/or minimal concentrations of species in distribution plots. *ANALYTICA CHIMICA ACTA*, 206, 189-202 (1988).
- [106] E. Casassas, C. Ariño, M. Esteban and C. Müller: Anodic behaviour of 2-mercaptoethanol on a mercury electrode. *ANALYTICA CHIMICA ACTA*, 206, 65-74 (1988).
- [107] G. Rauret, R. Rubio, J. F. López-Sánchez and E. Casassas: Determination and speciation of copper and lead in sediments of a Mediterranean river (river Tenes, Catalonia, Spain). *WATER RESEARCH*, 22, 449-455 (1988).
- [108] E. Casassas, R. Tauler and G. Fonrodona: Mixed ligand complex formation of copper(II) and zinc(II) ions



- with 3-hydroxynaphthoate and picolinate ions as ligands in dioxane-water mixtures. POLYHEDRON, 7, 1335-1340 (1988).
- [109] E. Casassas, L. Puignou, A. Izquierdo-Ridorsa and M. Pedrola: Kinetic-spectrophotometric method for the assay of copper(II) in human serum by catalytic oxidation of salicylic acid. JOURNAL OF PHARMACEUTICAL AND BIOMEDICAL ANALYSIS, 6, 781-786 (1988).
- [110] R. Tauler and E. Casassas. Principal component analysis applied to the study of successive Cu(II)-ethanolamine complex formation data. JOURNAL OF CHEMOMETRICS, 3, 151-162 (1988).
- [111] G. Rauret, E. Casassas, M. Baucells, M. S. Larrechi and F. X. Rius: Assigning the origin of Catalan medieval stained glasses by pattern recognition methods of X-ray fluorescence data. JOURNAL OF CHEMOMETRICS, 3, 163-174 (1988).
- [112] J. Ferran, A. Bonvalet and E. Casassas: New masking agents in the azomethine-H method for boron determination in plant tissues. AGROCHIMICA, 32, 171-181 (1988).
- [113] G. Rauret, R. Rubio, J. F. López-Sánchez and E. Casassas: Specific procedure for metal solid speciation in heavily polluted river sediments. INTERNATIONAL JOURNAL OF ENVIRONMENTAL ANALYTICAL CHEMISTRY, 35, 89-100 (1989).
- [114] E. Casassas, L. Gustems and R. Tauler: Spectrophotometric study of complex formation in copper(II) -mono-, di-, and tri-ethanolamine systems. JOURNAL OF THE CHEMICAL SOCIETY, DALTON TRANSACTIONS, 1989, 569-573.
- [115] E. Casassas and G. Fonrodona: Protonation equilibria of 3-hydroxy-2-naphthoic acid in dioxane-water solution: effect of the solvent composition and of the ionic strength of the medium. JOURNAL DE CHIMIE PHYSIQUE, 86, 391-402 (1989).
- [116] E. Casassas, M. Esteban and S. Alier: Pulse polarographic study of the behaviour of some  $\alpha,\sigma'$ -dihydroxyazo-compounds. COLLECTION OF CZECHOSLOVAK CHEMICAL COMMUNICATIONS, 54, 1219-1226 (1989).
- [117] E. Casassas, M. Peidro and L. Puignou: Kinetic spectrophotometric determination of trace amounts of pyridine with 4,4'-diaminostilben-2,2'-disulphonic acid. ANALYTICAL LETTERS, 22, 729-740 (1989).
- [118] R. Tauler and E. Casassas: Application of principal component analysis to the study of multiple equilibria systems: study of copper(II)/salicylate/mo-no-, di-, and triethanolamine systems. ANALYTICA CHIMICA ACTA, 223, 257-268 (1989).
- [119] E. Casassas, M. Esteban, V. Cerdà and F. Borrull: Polarographic behaviour of several amidoximes and their Cu(II) and Hg(II) complexes. ELECTROCHIMICA ACTA, 34, 1433-1438 (1989).
- [120] S. Alegret, J. Alió, J. M. Alcañiz and E. Casassas: Characterization of fulvic acids in soils from Catalonia. AGROCHIMICA, 33, 31-40 (1989).
- [121] M. Esteban, E. Casassas, H. G. de Jong and H. P. van Leeuwen: Direct-current, normal-pulse and reverse-pulse polarography of some heavy metal-polycarboxylate complexes. ANALYTICA CHIMICA ACTA, 229, 93-100 (1990).
- [122] E. Casassas, G. Fonrodona, A. Izquierdo-Ridorsa y R. Tauler: Estudio comparativo de las propiedades ácido-base y complejantes de algunos ácidos ortohidroxicarboxílicos aromáticos: ácido salicílico, ácido 3-hidroxi-2-naftoico y ácido pamoico. ANALES DE QUÍMICA, 86, 257-260 (1990).
- [123] E. Casassas, C. Ariño, M. Esteban and A. Redondo: Cathodic stripping voltammetric study of DL-N-acetylhomocysteine thiolactone (citolone). ANALYTICAL LETTERS, 23, 981-993 (1990).
- [124] R. Tauler, J. F. Cid and E. Casassas: Potentiometric and H-NMR study of the interaction of hypoxanthine and inosine with hydrogen ion, copper(II) ion and zinc(II) ion. JOURNAL OF INORGANIC BIOCHEMISTRY, 39, 277-285 (1990).
- [125] E. Casassas, A. Izquierdo-Ridorsa and R. Tauler: Acid-base and complex-forming properties of uracil and uridine in aqueous solution. JOURNAL OF INORGANIC BIOCHEMISTRY, 39, 327-336 (1990).
- [126] E. Casassas and A. Izquierdo-Ridorsa: Study of complex formation equilibria of pamoate ion with copper(II) ion in a dioxane-water solution. POLYHEDRON, 9, 1191-1197 (1990).
- [127] E. Casassas, A. Izquierdo-Ridorsa and R. Tauler: Electron paramagnetic resonance and visible spectroscopic studies of mixed-ligand complexes of copper(II) ion, salicylate ion, and a nitrogen base in aqueous solution. JOURNAL OF THE CHEMICAL SOCIETY, DALTON TRANSACTIONS, 1990, 2341-2345.
- [128] J. M. Díaz-Cruz, C. Ariño, M. Esteban and E. Casassas: Polarography and stripping voltammetry of metal-polycarboxylate complexes: complexes of cadmium and zinc with polyacrylic and polymethacrylic acids. ELECTROANALYSIS, 3, 299-307 (1991).
- [129] A. M. Nadal, C. Ariño, M. Esteban and E. Casassas: Voltammetric study of cadmium(II) ion in the presence of polysaccharides. ELECTROANALYSIS, 3, 309-318 (1991).
- [130] E. Casassas, C. Ariño, M. Esteban and A. Redondo: Analytical determination of *N*-(2-mercaptopropionyl)glycine (tiopronin) by voltammetric methods. ANALYTICAL LETTERS, 24, 1183-1199 (1991).
- [131] R. Tauler, E. Casassas and A. Izquierdo-Ridorsa: Self-modelling curve resolution in studies of spectrometric titrations of multiequilibria systems by factor analysis. ANALYTICA CHIMICA ACTA, 248, 447-458 (1991).
- [132] E. Casassas, G. Fonrodona and A. de Juan: Correlation of acid-base properties of solutes with the polarity parameters and other solvatochromic parameters of dioxane-water mixtures. INORGANICA CHIMICA ACTA, 187, 187-195 (1991).

- [133] E. Casassas, G. Fonrodona, A. de Juan and R. Tauler: Assessment of solvent parameters and their correlation with protonation constants in dioxane-water mixtures using factor analysis. *CHEMOMETRICS AND INTELLIGENT LABORATORY SYSTEMS*, 12, 29-38 (1991).
- [134] E. Casassas, A. M. Pérez-Vendrell and L. Puignou: An improved voltammetric procedure for the determination of Zn, Pb, Cd and Cu in atmospheric aerosols. *INTERNATIONAL JOURNAL OF ENVIRONMENTAL ANALYTICAL CHEMISTRY*, 45, 55-63 (1991).
- [135] E. Casassas, C. Ariño and I. Bonaparte: Pulse polarographic determination of trace amounts of cobalt(II) by complex formation with calcon. *MIKROCHIMICA ACTA*, 1991, III, 175-184.
- [136] R. Tauler, A. Izquierdo-Ridorsa y E. Casassas: Comparación de métodos de calibración multivariante: aplicación al análisis espectrofotométrico de mezclas de bases purínicas y pirimidínicas. *ANALES DE QUÍMICA*, 87, 571-579 (1991).
- [137] E. Casassas, G. Fonrodona y A. de Juan: Determinación del parámetro de polaridad- polarizabilidad,  $\sigma^*$ , y correlación de éste con ET(30) para mezclas dioxano-agua. *ANALES DE QUÍMICA*, 87, 611-615 (1991).
- [138] E. Casassas, M. Esteban, C. Ariño, J. Puy, F. Mas y J. M. Díaz-Cruz: Voltamperometría de las interacciones entre iones metálicos y ligandos macromoleculares: revisión crítica. *ANALES DE QUÍMICA*, 87, 616-625 (1991).
- [139] E. Casassas: Estudi de les reaccions de complexació en solució mitjançant tècniques voltamperomètriques en presència d'adsorció electròdica. *MEMORIAS DE LA REAL ACADEMIA DE CIENCIAS Y ARTES DE BARCELONA*, 3a época, 51, 1-54 (1992).
- [140] E. Casassas, O. Fonrodona and A. de Juan: Determination of solvatochromic parameters in binary mixtures and their correlation with some equilibrium constants. Part I. Dioxane-water mixtures. *JOURNAL OF SOLUTION CHEMISTRY*, 21, 147-162 (1992).
- [141] R. Tauler and E. Casassas: Spectroscopic resolution of macromolecular complexes using factor analysis: copper(II)-polyethyleneimine system. *CHEMOMETRICS AND INTELLIGENT LABORATORY SYSTEMS*, 14, 305-317 (1992).
- [142] F. Mas, J. Puy, J. M. Díaz-Cruz, M. Esteban and E. Casassas: Induced reactant adsorption in normal pulse polarography of labile metal-polyelectrolyte systems. I. Study of current-potential relationship assuming potential-independent adsorption parameters. *JOURNAL OF ELECTROANALYTICAL CHEMISTRY AND INTERFACIAL ELECTROCHEMISTRY*, 326, 299-316 (1992).
- [143] R. Tauler and E. Casassas: Application of factor analysis to speciation in multiequilibria systems (a review). *ANALYSIS*, 20, 255-268 (1992).
- [144] M. Esteban, J. M. Díaz-Cruz, C. Ariño and E. Casassas: Voltammetric study of some macromolecule-metal complexes. *DIE MAKROMOLEKULARE CHEMIE, MACROMOLECULAR SYMPOSIA*, 59, 297-312 (1992).
- [145] J. Puy, F. Mas, J. M. Díaz-Cruz, M. Esteban and E. Casassas: Induced reactant adsorption in normal pulse polarography of labile metal-polyelectrolyte systems. II. Study of current-potential relationship assuming potential-dependent adsorption parameters. *JOURNAL OF ELECTROANALYTICAL CHEMISTRY AND INTERFACIAL ELECTROCHEMISTRY*, 328, 271-285 (1992).
- [146] J. M. Díaz-Cruz, C. Ariño, M. Esteban and E. Casassas: Polarography and anodic stripping voltammetry of metal-polycarboxylate complexes: Phenomenological relationship between limiting currents and hydrodynamical mass transport. *JOURNAL OF ELECTROANALYTICAL CHEMISTRY AND INTERFACIAL ELECTROCHEMISTRY*, 333, 33-45 (1992).
- [147] J. Puy, F. Mas, J. M. Díaz-Cruz, M. Esteban and E. Casassas: Induced reactant adsorption in metal-polyelectrolyte systems: pulse polarographic study. *ANALYTICA CHIMICA ACTA*, 268, 261-274 (1992).
- [148] C. Ariño, A. M. Nadal, M. Esteban and E. Casassas: Voltammetric study of zinc(II) and lead(II) ions in the presence of alginate and pectin. *ELECTROANALYSIS*, 4, 757-764 (1992).
- [149] J. M. Díaz-Cruz, C. Ariño, M. Esteban and E. Casassas: Influence of the counter-ion concentration on the formation constants of some metal-polycarboxylate complexes: study by differential pulse anodic stripping voltammetry. *BIOPHYSICAL CHEMISTRY*, 45, 109-117 (1992).
- [150] J. M. Díaz-Cruz, C. Ariño, M. Esteban and E. Casassas: Voltammetry of Cu(II) in the presence of polymethacrylate. *ANALYTICA CHIMICA ACTA*, 273, 289-296 (1993).
- [151] F. Mas, J. Puy, J. M. Díaz-Cruz, M. Esteban and E. Casassas: A semiempirical full-wave expression for induced reactant adsorption in normal pulse polarography of labile metal-polyelectrolyte systems. *ANALYTICA CHIMICA ACTA*, 273, 297-304 (1993).
- [152] J. M. Díaz-Cruz, C. Ariño, M. Esteban, E. Casassas and H. P. van Leeuwen: Polarography and differential pulse anodic stripping voltammetry of Pb(II)/polycarboxylate complexes. *JOURNAL OF ELECTROANALYTICAL CHEMISTRY*, 344, 119-134 (1993).
- [153] R. Tauler, A. Izquierdo-Ridorsa and E. Casassas: Simultaneous analysis of several spectroscopic titrations with self-modelling curve resolution. *CHEMOMETRICS AND INTELLIGENT LABORATORY SYSTEMS*, 18, 293-300 (1993).
- [154] M. Esteban, C. Ariño, J. M. Díaz-Cruz and E. Casassas: Voltammetry of metal ion - macromolecule interactions: application to speciation problems. *TRENDS IN ANALYTICAL CHEMISTRY*, 12, 276-286 (1993).
- [155] E. Casassas, R. Gargallo, I. Giménez, A. Izquierdo-Ridorsa and R. Tauler: Application of an evolving factor

- analysis-based procedure to speciation analysis in the copper(II)-polyuridylic acid system. *ANALYTICA CHIMICA ACTA*, 283, 538-547 (1993).
- [156] E. Casassas, N. Domínguez, G. Fonrodona and A. de Juan: Factor analysis applied to the study of the effects of solvent composition and nature of the inert electrolyte on the protonation constants in dioxane-water mixtures. *ANALYTICA CHIMICA ACTA*, 283, 548-558 (1993).
- [157] J. M. Díaz-Cruz, C. Ariño, M. Esteban and E. Casassas: Polarography and stripping voltammetry of metal-polycarboxylate complexes: the Cu(II)-polyacrylate system. *ELECTROANALYSIS*, 51, 677-684 (1993).
- [158] M. Esteban and E. Casassas: Stripping electroanalytical techniques in environmental chemistry. *TRENDS IN ANALYTICAL CHEMISTRY*, 13, 110-117 (1994).
- [159] E. Casassas, R. Tauler and M. I. Marqués: Interactions of H<sup>+</sup> and Cu(II) ions with poly(adenylic) acid: study by factor analysis. *MACROMOLECULES*, 27, 1729-1737 (1994).
- [160] E. Casassas, R. Gargallo, I. Giménez, A. Izquierdo-Ridorsa and R. Tauler: Study of the acid-base behavior and copper(II) complexing properties of uracil- and hypo-xanthine-derived nucleotides in aqueous solution. *JOURNAL OF INORGANIC BIOCHEMISTRY*, 56, 187-199 (1994).
- [161] R. Tauler, A. Izquierdo-Ridorsa, R. Gargallo and E. Casassas: Application of a new multivariate curve resolution procedure to the simultaneous analysis of several spectroscopic titrations of the copper(II)-polyinosinic acid system. *CHEMOMETRICS AND INTELLIGENT LABORATORY SYSTEMS*, 27, 163-174 (1995).
- [162] E. Casassas, I. Marqués and R. Tauler: Study of acid-base properties of fulvic acids using fluorescence spectrometry and multivariate curve resolution methods. *ANALYTICA CHIMICA ACTA*, 310, 473-484 (1995).
- [163] J. M. Díaz-Cruz, R. Tauler, B. S. Grabaric, M. Esteban and E. Casassas: Application of multivariate curve resolution to voltammetric data. Part I. Study of Zn(II) complexation with some polyelectrolytes. *JOURNAL OF ELECTROANALYTICAL CHEMISTRY*, 393, 7-16 (1995).
- [164] Z. Grabaric, B. S. Grabaric, M. Esteban and E. Casassas: Signals ratio method for resolution enhancement in differential pulse polarography and related techniques. *ANALYTICA CHIMICA ACTA*, 312, 27-34 (1995).
- [165] E. Casassas, R. Gargallo, A. Izquierdo-Ridorsa and R. Tauler: Application of a multivariate curve resolution procedure to the study of the acid-base and copper(II)-complexation equilibria of polycytidylic acid. *REACTIVE AND FUNCTIONAL POLYMERS*, 27, 1-14 (1995).
- [166] A. Izquierdo-Ridorsa, E. Casassas, R. Gargallo, I. Marqués and R. Tauler: A comparative study of polyelectrolyte effects and conformational changes in several purine and pyrimidine homopolyribonucleotides. *REACTIVE AND FUNCTIONAL POLYMERS*, 28, 127-137 (1996).
- [167] B. S. Grabaric, Z. Grabaric, M. Esteban and E. Casassas: Evolving polynomial regression and error analysis in model identification and determination of consecutive stability constants using voltammetric methods. *ANALYTICA CHIMICA ACTA*, 325, 135-149 (1996).
- [168] A. de Juan, G. Fonrodona, R. Gargallo, A. Izquierdo-Ridorsa, R. Tauler and E. Casassas: Application of a self-modeling curve resolution approach to the study of solvent effects on the acid-base and copper(II)-complexing behavior of polyuridylic acid. *JOURNAL OF INORGANIC BIOCHEMISTRY*, 63, 155-173 (1996).
- [169] A. de Juan, G. Fonrodona and E. Casassas: Solvent classification based on solvatochromic parameters: a comparison with the Snyder approach. *TRENDS IN ANALYTICAL CHEMISTRY*, 16, 52-62 (1996).
- [170] Z. Grabaric, B. S. Grabaric, M. Esteban and E. Casassas: Determination of small amounts of analytes in the presence of a large excess of one analyte from multi-analyte global signals of differential-pulse voltammetry and related techniques with the signal ratio resolution method. *THE ANALYST*, 121, 1845-1850 (1996).
- [171] Z. Grabaric, B. S. Grabaric, M. Esteban and E. Casassas: Resolution of global signals using ratio differential pulse polarograms: Determination of *p*-nitroaniline and *p*-nitrotoluene in their mixture. *JOURNAL OF ELECTROANALYTICAL CHEMISTRY*, 420, 227-234 (1997).
- [172] A. de Juan, A. Izquierdo-Ridorsa, R. Gargallo, R. Tauler, G. Fonrodona and E. Casassas: Three-way curve resolution applied to the study of solvent effect on the thermodynamic and conformational transitions related to the protonation of polycytidylic acid. *ANALYTICAL BIOCHEMISTRY*, 249, 174-183 (1997).
- [173] B. S. Grabaric, Z. Grabaric, R. Tauler, M. Esteban and E. Casassas: Application of multivariate curve resolution to the voltammetric data. Factor analysis ambiguities in the study of weak consecutive complexation of metal ion with ligand. *ANALYTICA CHIMICA ACTA*, 341, 105-120 (1997).
- [174] R. Tauler, I. Marqués and E. Casassas: Multivariate curve resolution applied to three-way trilinear data: study of a spectrofluorimetric acid-base titration of salicylic acid at three excitation wavelengths. *JOURNAL OF CHEMOMETRICS*, 12, 55-75 (1998).
- [175] A. de Juan, A. Izquierdo-Ridorsa, R. Tauler, G. Fonrodona and E. Casassas: A soft-modelling approach to interpret thermodynamic and conformational transitions of polynucleotides. *BIOPHYSICAL JOURNAL*, 73, 2937-2948 (1997).
- [176] A. Puigdomènech, R. Tauler, E. Casassas and M. Arago: Modelling Near Infrared instrument differences by chemometric methods: testing for near infrared for-

age analysis. *ANALYTICA CHIMICA ACTA*, 355, 181-193 (1997).

- [177] A. Kudrev, R. Gargallo, A. Izquierdo-Ridorsa, R. Tauler and E. Casassas: Study of acid-base equilibria and conformational changes of double stranded polyadenylic-polyuridylic acid in aqueous solution. *ANALYTICA CHIMICA ACTA*, 363, 119-132 (1998).
- [178] B. S. Grabaric, Z. Grabaric, J. M. Díaz-Cruz, M. Esteban and E. Casassas: Metal complexation model identification and the detection and elimination of erroneous points using evolving least-squares fitting of voltammetric data. *ANALYTICA CHIMICA ACTA*, 363, 261-278 (1998).
- [179] M. S. Díaz-Cruz, B. S. Grabaric, Z. Grabaric, M. Esteban and E. Casassas: Optimisation of resolution function in signals ratio method and deconvolution by polynomial division – quantitation of Cd(II) and In(III) from their global signals obtained at carbon fibre disk ultramicroelectrode. *ANALYTICA CHIMICA ACTA*, 382, 105-115 (1999).
- [180] M. Esteban y E. Casassas: Técnicas polarográficas modernas, MÉTODOS ELECTROANALÍTICOS I, M. Blanco, V. Cerdá y G. López Eds., Col·lecció Materials Didàctics nr. 76, Universitat de les Illes Balears, Palma de Mallorca, 2001. pp. 185 – 249.
- [181] A. de Juan, E. Casassas and R. Tauler. Soft Modeling of Analytical Data. *ENCYCLOPEDIA OF ANALYTICAL CHEMISTRY: INSTRUMENTATION AND APPLICATIONS*. Edited by R.A.Meyers, John Wiley & Sons, 2000, Vol 11, 9800-9837.

## BOOKS

Editor or coeditor:

1. *Compendi de Nomenclatura de Química Analítica*. E. Casassas i S. Alegret Eds. Monografies de les Seccions de Ciències, 4. Institut d'Estudis Catalans, Barcelona, 1987. 354 pages.
2. *Plasmes i focs*. E. Casassas i S. Alegret Eds. Monografies de les Seccions de Ciències, 6. Universitat Catalana d'Estiu – Institut d'Estudis Catalans, Barcelona, 1991. 171 pages.
3. *Gasos i atmosferes*. E. Casassas i S. Alegret Eds. Monografies de les Seccions de Ciències, 8. Universitat Catalana d'Estiu – Institut d'Estudis Catalans, Barcelona, 1992. 137 pages.
4. *Terra i sòl*. E. Casassas i S. Alegret Eds. Monografies de les Seccions de Ciències, 9. Universitat Catalana d'Estiu – Institut d'Estudis Catalans, Barcelona, 1993. 175 pages.
5. *Líquids i biofluids*. E. Casassas i S. Alegret Eds. Monografies de les Seccions de Ciències, 10. Universitat Catalana d'Estiu – Institut d'Estudis Catalans, Barcelona, 1993. 157 pages.
6. *Modelització macroscòpica en ciències experimentals*. E. Casassas i M. Esteban Eds. Monografies de les Seccions de Ciències, 12. Universitat Catalana d'Estiu – Institut d'Estudis Catalans, Barcelona, 1996. 187 pages.
7. *Del plaer dels sentits al plaer de les xifres*. E. Casassas i R. Tauler Eds. Monografies de les Seccions de Ciències, 13. Universitat Catalana d'Estiu – Institut d'Estudis Catalans, Barcelona, 1997. 255 pages.
8. *Diccionari de Química Analítica*, TERMCAT, Centre de Terminologia, Enciclopèdia Catalana, Barcelona, 2000.

## A SELECTION OF OTHER PUBLICATIONS

1. "Entrevista amb Enric Casassas", Ramon Gabriel. *CIÈNCIA*, 2 (núm. 1), 136-138 (1982).
2. *Homenatge al Professor Enric Casassas i Simó*, Butlletí de les Societats Catalanes de Física, Química, Matemàtiques i Tecnologia, Vol. IX, Núm. 2, p. 1 – 172. Institut d'Estudis Catalans, Barcelona, 1987.
3. E. Casassas, A. Izquierdo y G. Rauret: «El Doctor Francisco Buscarons Ubeda, In Memoriam», *QUÍMICA ANALÍTICA*, 8, 3-6 (1989).
4. *Miscel·lània Enric Casassas*, coedited by S. Alegret, J.J. Arias, D. Barceló, J. Casal and G. Rauret. Publicacions de la Universitat Autònoma de Barcelona, Bellaterra, 1991.
5. Química de la troposfera, E. Casassas, en *Gasos i atmosferes*. E. Casassas i S. Alegret Eds. Monografies de les Seccions de Ciències, 8. Universitat Catalana d'Estiu – Institut d'Estudis Catalans, Barcelona, 1992.
6. Química 1995, R. Tauler i E. Casassas, Anuari de la Gran Enciclopèdia Catalana, 2a ed, Enciclopèdia Catalana, Barcelona, Barcelona, 1996.
7. Introducció a la modelització en els estudis d'especialització química d'ions metàl·lics en els sistemes biològics, E. Casassas, en *Modelització macroscòpica en ciències experimentals*. E. Casassas i M. Esteban Eds. Monografies de les Seccions de Ciències, 12. Universitat Catalana d'Estiu – Institut d'Estudis Catalans, Barcelona, 1996.
8. Química 1996, R. Tauler i E. Casassas, Anuari de la Gran Enciclopèdia Catalana, 2a ed, Enciclopèdia Catalana, Barcelona, Barcelona 1997.
9. Del plaer dels sentits al plaer de les xifres o de l'alquímia a la quimiometria, E. Casassas, en *Del plaer dels sentits al plaer de les xifres*. E. Casassas i R. Tauler Eds. Monografies de les Seccions de Ciències, 13. Universitat Catalana d'Estiu – Institut d'Estudis Catalans, Barcelona, 1997.
10. L'art del mesurament: exactitud i precisió de les mesures, E. Casassas, en *Del plaer dels sentits al plaer de les xifres*. E. Casassas i R. Tauler Eds. Monografies de les Seccions de Ciències, 13. Universitat Catalana d'Estiu – Institut d'Estudis Catalans, Barcelona, 1997.
11. Química 1997, R. Tauler i E. Casassas, Anuari de la Gran Enciclopèdia Catalana, 2a ed, Enciclopèdia Catalana, Barcelona, Barcelona, 1998.
12. Química 1998, A. de Juan i E. Casassas, Anuari de la

Gran Enciclopèdia Catalana, 2a ed, Enciclopèdia Catalana, Barcelona, Barcelona, 1999.

13. Química 1999, A. de Juan i E. Casassas, Anuari de la Gran Enciclopèdia Catalana, 2a ed, Enciclopèdia Catalana, Barcelona, Barcelona, 2000.

